

# RIF-V-120-230 UC - Plug-in module



2900948

<https://www.phoenixcontact.com/us/products/2900948>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with varistor, input voltage: 120 V AC ... 230 V AC / DC  $\pm 20$  %

## Commercial data

Item number	2900948
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	C465
Product key	CK6536
Catalog page	Page 316 (C-5-2019)
GTIN	4046356733090
Weight per piece (including packing)	3.28 g
Weight per piece (excluding packing)	3 g
Customs tariff number	85363010
Country of origin	CN

# RIF-V-120-230 UC - Plug-in module



2900948

<https://www.phoenixcontact.com/us/products/2900948>

## Technical data

### Product properties

Product type	Plug-in module
Product family	RIFLINE complete

### Electrical properties

Nominal voltage $U_N$	120 V AC/DC ... 230 V AC/DC
-----------------------	-----------------------------

### Input data

Input voltage range	120 V AC/DC ... 230 V AC/DC $\pm 20$ %
Protective circuit	Varistor

### Approvals

#### Corrosive gas test

Identification	ISA-S71.04. G3 Harsh Group
	EN 60068-2-60

# RIF-V-120-230 UC - Plug-in module



2900948

<https://www.phoenixcontact.com/us/products/2900948>

## Classifications

### ECLASS

ECLASS-11.0	27371692
ECLASS-12.0	27371692
ECLASS-13.0	27371692

### ETIM

ETIM 9.0	EC002586
----------	----------

### UNSPSC

UNSPSC 21.0	39122300
-------------	----------

# RIF-V-120-230 UC - Plug-in module



2900948

<https://www.phoenixcontact.com/us/products/2900948>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)