

https://www.phoenixcontact.com/us/products/2900998



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Fuse set, number: 8 Pcs., fuse type: Fuse (TR5), nominal current: 4 A, tripping characteristic: slow-blow (T)

#### Commercial data

Item number	2900998
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	C421
Product key	CK21Z1
GTIN	4046356557221
Weight per piece (including packing)	5.9 g
Weight per piece (excluding packing)	0.716 g
Customs tariff number	85361010
Country of origin	CN



https://www.phoenixcontact.com/us/products/2900998



### Technical data

#### Notes

General	For proper use, the specifications of the installation directive (see
	Downloads) must be observed. For applications or use with third-
	party products, the specifications, and the safety and warning
	instructions of the respective third-party manufacturer must also
	be met.

#### Product properties

Product type	Fuse
Number of fuses in the set	8

#### Electrical properties

Tripping characteristic	slow-blow (T)
Rated voltage	250 V
Maximum power dissipation for nominal condition	1.02 W
Nominal current I <sub>N</sub>	4 A
Fuse rating	TR5
Fuse	Fuse

#### **Dimensions**

	0.5
Dimensions	8.5 x 8 mm



2900998

https://www.phoenixcontact.com/us/products/2900998

## Classifications

#### **ECLASS**

	ECLASS-12.0	27142002	
	ECLASS-11.0	27142002	
	ECLASS-13.0	27142002	
ETIM			
	ETIM 9.0	EC002704	
UNSPSC			
	UNSPSC 21.0	39121600	

2900998

https://www.phoenixcontact.com/us/products/2900998



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com