UT 4-MTD-R/CVC 690/SET - Feed-through terminal block



2901667

https://www.phoenixcontact.com/us/products/2901667

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



The voltage transducer set makes it possible to insert the electronic motor management module (EMM 3-.../500AC-IFS) in 690 V mains.

Commercial data

| Item number | 2901667 |
|--------------------------------------|--------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | C475 |
| Product key | CK751Z |
| Catalog page | Page 16 (C-5-2019) |
| GTIN | 4046356623483 |
| Weight per piece (including packing) | 45.3 g |
| Weight per piece (excluding packing) | 45.3 g |
| Customs tariff number | 85369010 |
| Country of origin | DE |

UT 4-MTD-R/CVC 690/SET - Feed-through terminal block



2901667

https://www.phoenixcontact.com/us/products/2901667

Technical data

Product properties

| | Product type | Voltage transducer | | | |
|-----------------|----------------------------------|--------------------|--|--|--|
| Connection data | | | | | |
| | Connection method | Screw connection | | | |
| | Stripping length | 9 mm | | | |
| | Conductor cross section rigid | 0.14 mm² 6 mm² | | | |
| | Conductor cross section flexible | 0.14 mm² 6 mm² | | | |
| | Conductor cross section AWG | 26 10 | | | |

Environmental and real-life conditions

Ambient conditions

| Ambient temperature (operation) | -20 °C 55 °C |
|---|--------------|
| Ambient temperature (storage/transport) | -20 °C 55 °C |

Mounting

| Mounting type | DIN rail mounting |
|---------------|-------------------|

UT 4-MTD-R/CVC 690/SET - Feed-through terminal block



2901667

https://www.phoenixcontact.com/us/products/2901667

Classifications

UNSPSC 21.0

ECLASS

| ECLASS-11.0 | 27371392 | | | |
|-------------|----------|--|--|--|
| ECLASS-12.0 | 27371392 | | | |
| ECLASS-13.0 | 27371392 | | | |
| ETIM | | | | |
| ETIM 9.0 | EC002498 | | | |
| UNSPSC | | | | |

39121100

UT 4-MTD-R/CVC 690/SET - Feed-through terminal block



2901667

https://www.phoenixcontact.com/us/products/2901667

Environmental product compliance

| REACh SVHC | Lead 7439-92-1 |
|------------|--|
| | |
| China RoHS | Environmentally Friendly Use Period = 50 years |
| | For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads" |

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com