

# EM RI-ADAPTER CLASSIC - Adapter



2902831

<https://www.phoenixcontact.com/us/products/2902831>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Adapter for mounting short-circuit proof hybrid motor starters of type ELR-H51 ... on 60 mm power busbars. Classic design with 200 mm design height.



## Commercial data

Item number	2902831
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C470
Product key	CK7455
Catalog page	Page 37 (C-5-2019)
GTIN	4046356685450
Weight per piece (including packing)	68.5 g
Weight per piece (excluding packing)	57.36 g
Customs tariff number	85369095
Country of origin	DE

# EM RI-ADAPTER CLASSIC - Adapter



2902831

<https://www.phoenixcontact.com/us/products/2902831>

## Technical data

### Product properties

Product type	Assembly adapter
Product family	CONTACTRON

### Dimensions

Width	22.5 mm
Height	200 mm
Depth	41.5 mm

### Approvals

#### UKCA

Certificate	UKCA-compliant
-------------	----------------

# EM RI-ADAPTER CLASSIC - Adapter



2902831

<https://www.phoenixcontact.com/us/products/2902831>

## Classifications

### ECLASS

ECLASS-11.0	27371392
ECLASS-12.0	27371392
ECLASS-13.0	27371392

### ETIM

ETIM 9.0	EC002498
----------	----------

### UNSPSC

UNSPSC 21.0	39121100
-------------	----------

# EM RI-ADAPTER CLASSIC - Adapter



2902831

<https://www.phoenixcontact.com/us/products/2902831>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)