

FUSE-10X38-20A-GR - Fuse



2903384

<https://www.phoenixcontact.com/us/products/2903384>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Fuse, number: 10 Pcs., fuse type: Fuse (CC), nominal current: 20 A, tripping characteristic: super-fast blow (gR)

Commercial data

Item number	2903384
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	C470
Product key	CK7455
Catalog page	Page 37 (C-5-2019)
GTIN	4046356733854
Weight per piece (including packing)	8.2 g
Weight per piece (excluding packing)	8.2 g
Customs tariff number	85361050
Country of origin	FR

FUSE-10X38-20A-GR - Fuse



2903384

<https://www.phoenixcontact.com/us/products/2903384>

Technical data

Product properties

Product type	Fuse
Number of fuses in the set	10

Electrical properties

Tripping characteristic	super-fast blow (gR)
Maximum power dissipation for nominal condition	3.7 W
Nominal voltage U_N	690 V
Nominal current I_N	20 A
Fuse rating	CC
Fuse	Fuse

Dimensions

Dimensions	10 x 38 mm
------------	------------

FUSE-10X38-20A-GR - Fuse



2903384

<https://www.phoenixcontact.com/us/products/2903384>

Classifications

ECLASS

ECLASS-12.0	27142002
ECLASS-11.0	27142002
ECLASS-13.0	27142002

ETIM

ETIM 9.0	EC002704
----------	----------

UNSPSC

UNSPSC 21.0	39121600
-------------	----------

FUSE-10X38-20A-GR - Fuse



2903384

<https://www.phoenixcontact.com/us/products/2903384>

Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"
------------	--

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com