

# RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Radioline - USB data cable for communication between the PC and Radioline devices, energy supply for diagnostics and configuration via the USB port of the PC, cable length: 2 m / 6.5 ft

## Your advantages

- Power supply for diagnostics and configuration via the USB port of the PC

## Commercial data

Item number	2903447
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN23
Product key	DNC61Z
Catalog page	Page 376 (C-6-2019)
GTIN	4046356739429
Weight per piece (including packing)	70 g
Weight per piece (excluding packing)	64.3 g
Customs tariff number	85444290
Country of origin	DE

# RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

## Technical data

### Notes

#### Utilization restriction

EMC note	EMC: class A product, see manufacturer's declaration in the download area
----------	---

### Product properties

Product type	Programming cable
Sensor type	USB

### Electrical properties

Transmission medium	Copper
---------------------	--------

### Connection data

#### PC side

Connection method	USB 2.0 Fullspeed
Notes	serial

#### Device side

Connection method	IFS data port
-------------------	---------------

### Material specifications

Color (Outer sheath)	red (RAL 3001)
Material Outer sheath	PVC

### Cable/line

Cable length	2 m
External cable diameter	3.50 mm

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-25 °C ... 70 °C (-13 °F ... 158 °F)
Ambient temperature (storage/transport)	-40 °C ... 85 °C (-40 °F ... 185 °F)
Max. permissible relative humidity (operation)	≤ 90 % (at 25 °C, non-condensing)

### Approvals

#### EAC

Identification	EAC
----------------	-----

### EMC data

Noise immunity	EN 61000-6-2
Electromagnetic compatibility	Conformance with EMC Directive 2014/30/EU

# RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

Noise emission	EN 61000-6-4
----------------	--------------

# RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

## Classifications

### ECLASS

ECLASS-11.0	19179090
ECLASS-12.0	19179090
ECLASS-13.0	19179090

### ETIM

ETIM 9.0	EC002608
----------	----------

### UNSPSC

UNSPSC 21.0	43222600
-------------	----------

# RAD-CABLE-USB - Cable for programming



2903447  
<https://www.phoenixcontact.com/us/products/2903447>

## Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)