

https://www.phoenixcontact.com/us/products/2917036



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Antenna adapter, frequency range: 0.3 GHz ... 6 GHz, connection: N (male) -> SMA (female)



Your advantages

- · As an adapter between devices and cables
- Adapter for installing the antenna inside buildings

Commercial data

Item number	2917036
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN23
Product key	DNN2Z1
Catalog page	Page 200 (C-4-2019)
GTIN	4046356284127
Weight per piece (including packing)	34 g
Weight per piece (excluding packing)	31.9 g
Customs tariff number	85366910
Country of origin	PL



https://www.phoenixcontact.com/us/products/2917036



Technical data

Product properties

Degree of protection

Ambient temperature (operation)

Ambient temperature (storage/transport)

Product type Coaxial adapter Electrical properties 0.3 GHz 6 GHz Impedance 50 Ω Connection data N (male) -> SMA (female) Dimensions Width 27.5 mm Diameter 20.5 mm Material specifications Housing material Brass (CuZn)		
Frequency range 0.3 GHz 6 GHz Impedance 50 Ω Connection data Connection method N (male) -> SMA (female) Dimensions Width 27.5 mm Diameter 20.5 mm Material specifications		
Frequency range 0.3 GHz 6 GHz Impedance 50 Ω Connection data Connection method N (male) -> SMA (female) Dimensions Width 27.5 mm Diameter 20.5 mm Material specifications		
Impedance 50 Ω Connection data Connection method N (male) -> SMA (female) Dimensions Width 27.5 mm Diameter 20.5 mm Material specifications		
Connection data Connection method N (male) -> SMA (female) Dimensions Width 27.5 mm Diameter 20.5 mm Material specifications		
Connection method N (male) -> SMA (female) Dimensions Width 27.5 mm Diameter 20.5 mm Material specifications		
Dimensions Width 27.5 mm Diameter 20.5 mm Material specifications		
Width 27.5 mm Diameter 20.5 mm Material specifications		
Diameter 20.5 mm Material specifications		
Material specifications		
Housing meterial Proce (Cu7n)		
Housing material Brass (CuZn)		
Environmental and real-life conditions		
Ambient conditions		

IP20

-65 °C ... 165 °C

-65 °C ... 165 °C



https://www.phoenixcontact.com/us/products/2917036



Classifications

ECLASS

	ECLASS-11.0	19070417		
	ECLASS-12.0	19070417		
	ECLASS-13.0	19070417		
ETIM				
	ETIM 9.0	EC001135		
UNSPSC				
	UNSPSC 21.0	39121400		



https://www.phoenixcontact.com/us/products/2917036



Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com