

# UWA 182/52 - Mounting adapter



2938235

<https://www.phoenixcontact.com/us/products/2938235>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Universal wall adapter for securely mounting the device in the event of strong vibrations. The device is screwed directly onto the mounting surface. The universal wall adapter is attached on the top/bottom.

## Product description

Material: Steel 2.5 mm (St 1203), dimensions: Width 52 mm, height 182 mm, to assemble following power supplies directly on the panel: - QUINT-PS..., QUINT-DC-UPS... und QUINT BUFFER..., TRIO-PS/1AC/ 10+20A, TRIO-PS/3AC/...

## Commercial data

Item number	2938235
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CM11
Product key	CMPQZ9
Catalog page	Page 311 (C-4-2019)
GTIN	4046356051156
Weight per piece (including packing)	216.3 g
Weight per piece (excluding packing)	208 g
Customs tariff number	73269098
Country of origin	DE

# UWA 182/52 - Mounting adapter

2938235

<https://www.phoenixcontact.com/us/products/2938235>



## Technical data

### Product properties

Product type	Assembly adapter
Product family	Mounting material
Application	Mounting on level surfaces

### Dimensions

Width	52 mm
Height	182 mm
Depth	9 mm

### Material specifications

Housing material	Steel, powder-coated
------------------	----------------------

### Mounting

Mounting type	DIN rail mounting
---------------	-------------------

# UWA 182/52 - Mounting adapter

2938235

<https://www.phoenixcontact.com/us/products/2938235>



## Classifications

### ECLASS

ECLASS-11.0	27370419
ECLASS-12.0	27370419
ECLASS-13.0	27370419

### ETIM

ETIM 9.0	EC001024
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)