

2966786

https://www.phoenixcontact.com/us/products/2966786

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Continuous plug-in bridge, length: 500 mm, color: red

Commercial data

Item number	2966786
Packing unit	20 рс
Minimum order quantity	20 рс
Sales key	C461
Product key	CK6243
Catalog page	Page 426 (C-5-2019)
GTIN	4017918130602
Weight per piece (including packing)	45.04 g
Weight per piece (excluding packing)	42.62 g
Customs tariff number	85366990
Country of origin	DE

2966786

https://www.phoenixcontact.com/us/products/2966786



Technical data

Product type Bridge Electrical properties 32 A Maximum load current 32 A Connection data 32 A Maximum load current 32 A Dimensions 500 mm Length 500 mm	oduct properties		
Maximum load current 32 A Connection data 32 A Maximum load current 32 A Dimensions 500 mm Length 500 mm	Product type	Bridge	
Connection data Maximum load current 32 A Dimensions Length 500 mm Material specifications	Electrical properties		
Maximum load current 32 A Dimensions Length Material specifications 500 mm	Maximum load current	32 A	
Dimensions Length 500 mm Material specifications	Connection data		
Length 500 mm Material specifications	Maximum load current	32 A	
Material specifications	Dimensions		
	Length	500 mm	
Color red	Material specifications		
	Color	red	

2966786

https://www.phoenixcontact.com/us/products/2966786



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27371692

ETIM

	ETIM 9.0	EC002586		
UN	UNSPSC			
	UNSPSC 21.0	39121400		

2966786

https://www.phoenixcontact.com/us/products/2966786

PHŒNIX CONTACT

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com