

2966825

https://www.phoenixcontact.com/us/products/2966825

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Single plug-in bridge, number of positions: 2, length: 6 mm, color: gray



Commercial data

Item number	2966825
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	C461
Product key	CK6242
Catalog page	Page 426 (C-5-2019)
GTIN	4017918130640
Weight per piece (including packing)	0.445 g
Weight per piece (excluding packing)	0.439 g
Customs tariff number	85366990
Country of origin	DE



2966825

https://www.phoenixcontact.com/us/products/2966825

Technical data

Product properties

Product type	Bridge
Number of positions	2
Electrical properties	
Maximum load current	6 A
Connection data	
Maximum load current	6 A
Dimensions	
Length	6 mm
Material specifications	
Color	gray
Flammability rating according to UL 94	V0



2966825

https://www.phoenixcontact.com/us/products/2966825

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27371692
ETIM	
ETIM 9.0	EC002586
UNSPSC	

39121400



2966825

https://www.phoenixcontact.com/us/products/2966825

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com