2981826

https://www.phoenixcontact.com/us/products/2981826

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable adapter for PSR over-speed safety relays (PSR-RSM4 and PSR-MM30), 9/8-pos., cable length: 2.5 m, for controller: Lenze



Your advantages

- Option to connect to safe PSR-RSM4 and PSR-MM30 over-speed safety relays
- · Suitable for connection to the existing motor feedback interface of an electrical drive
- Controller type:LENZE
- 9-pos. D-SUB connection
- · Length of connecting cable to over-speed safety relay: 2.5 m

Commercial data

Item number	2981826
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN01
Product key	DNA251
Catalog page	Page 244 (C-6-2019)
GTIN	4046356138628
Weight per piece (including packing)	154.2 g
Weight per piece (excluding packing)	154 g
Customs tariff number	85444290
Country of origin	DE

PHŒN

2981826

https://www.phoenixcontact.com/us/products/2981826



Technical data

Connection data

To the device			
Connection method	RJ45		
Number of positions	8		
Encoder / PLC			
Connection method	D-SUB 9 plug/D-SUB 9 socket		
Number of positions	9		
Material specifications			
Outer sheath, material	LSHF (FRNC)		
Conductor material	Bare Cu litz wires		
Cable/line			
Cable length	2.5 m		
Outer sheath, material	LSHF (FRNC)		
Cable cross section	0.48 mm ²		
Conductor material	Bare Cu litz wires		
Shielding	Plastic-coated aluminum foil, tinned copper braided shield		
	Soldering on D-SUB housing		
Cable resistance	≤ 260 Ω/km		

Environmental and real-life conditions

Ambient conditions		
Ambient temperature (operation)	-20 °C 60 °C (for fixed installation)	
	0 °C 50 °C (for flexible installation)	
Ambient temperature (storage/transport)	-20 °C 70 °C	

2981826

https://www.phoenixcontact.com/us/products/2981826



Classifications

ECLASS

ECLASS-11.0	27371390
ECLASS-12.0	27371390
ECLASS-13.0	27371390

ETIM

	ETIM 9.0	EC002498
UNSPSC		
	UNSPSC 21.0	26121600

2981826

https://www.phoenixcontact.com/us/products/2981826

PHŒNIX CONTACT

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com