

SB 2-8-T IP - Switching jumper



3026493

<https://www.phoenixcontact.com/us/products/3026493>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Switching jumper, pitch: 8.2 mm, number of positions: 2, color: orange



Commercial data

Item number	3026493
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	BE1Z2X
GTIN	4055626021225
Weight per piece (including packing)	2.31 g
Weight per piece (excluding packing)	2.31 g
Country of origin	PL

SB 2-8-T IP - Switching jumper



3026493

<https://www.phoenixcontact.com/us/products/3026493>

Technical data

Product properties

Product type	Switching jumper
Number of positions	2
Pitch	8.2 mm
Potentials	1

Dimensions

Width	15.3 mm
Height	15.6 mm
Depth	15.6 mm
Pitch	8.2 mm

Material specifications

Color	orange
Material	Copper, tin-plated
Insulating material	PA

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

SB 2-8-T IP - Switching jumper



3026493

<https://www.phoenixcontact.com/us/products/3026493>

Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

ETIM 9.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

SB 2-8-T IP - Switching jumper



3026493

<https://www.phoenixcontact.com/us/products/3026493>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com