3027941

https://www.phoenixcontact.com/us/products/3027941

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Your advantages

- · Easy handling
- · Spring-loaded, large-surface pressure plate
- Suitable for direct and busbar mounting
- Knurled screw

• As components, it is not possible to certify shield connections in accordance with the requirements of the directive and standards for electrical equipment in potentially explosive areas. As such, shield connection clamps can be used in the Ex area even without an appropriate approval or marking.

Commercial data

Item number	3027941
Packing unit	300 pc
Minimum order quantity	300 pc
Sales key	BE75
Product key	BE7512
GTIN	4046356285667
Weight per piece (including packing)	20.733 g
Weight per piece (excluding packing)	20 g
Customs tariff number	85369010
Country of origin	DE



Shield connection clamp, for shield on busbars, contact resistance < 1 m Ω



https://www.phoenixcontact.com/us/products/3027941



Technical data

Product properties

Product type	Shield connection clamp
Pitch	17 mm
Number of connections	1
Number of rows	1

Electrical properties

Maximum power dissipation for nominal condition	1.02 W
Contact resistance	< 0.001 Ω

Connection data

Grounding foot	Yes
Screw thread	M4
Tightening torque	0.8 0.8 Nm

Dimensions

Dimensional	drawing
-------------	---------

	19,5	• 17 •
1	m	Ő
max. 59,3	Щ	
ma 6,5		
•		14

	1. H-1-1
Width	17 mm
Height	19.5 mm
Depth	59.3 mm
Pitch	17 mm

External dimensions

Outside diameter	3 mm 14 mm

Material specifications

	•	
	Color	silver
	Material	Steel
Cable/line		
	External cable diameter	3 mm 14 mm
Mounting		
	Mounting type	direct screw connection

3027941

https://www.phoenixcontact.com/us/products/3027941



Classifications

ECLASS

	141150
ECLASS-12.0 2714	141150
ECLASS-13.0 2725	250309

ETIM

	ETIM 9.0	EC002020	
UN	UNSPSC		
	UNSPSC 21.0	39121400	

3027941

https://www.phoenixcontact.com/us/products/3027941

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com