3030380

https://www.phoenixcontact.com/us/products/3030380

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, pitch: 5.2 mm, number of positions: 14, pin assignment: 1, 2, 9, color: red

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial data

Item number	3030380
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	BE2Z2X
GTIN	4046356706353
Weight per piece (including packing)	8.3 g
Weight per piece (excluding packing)	8.3 g
Country of origin	PL

3030380

https://www.phoenixcontact.com/us/products/3030380



Technical data

Notes	
General	Version with single- or double-sided cutting edge. Please keep in mind the possible impact on touch protection as well as air clearances and creepage distances.
Product properties	
Product type	Jumper
Number of positions	14
Pitch	5.2 mm
Electrical properties	
Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Connection data	
Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Dimensions	
Pitch	5.2 mm
Material specifications	
Color	red
Material	Copper
Flammability rating according to UL 94	VO
Insulating material	PA
Mechanical properties	
Technical data	
Pin assignment	1, 2, 9
Mounting	
Mounting type	Plug-in mounting

3030380

https://www.phoenixcontact.com/us/products/3030380



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

	ETIM 9.0	EC000489	
UNSPSC			
	UNSPSC 21.0	39121400	

3030380

https://www.phoenixcontact.com/us/products/3030380



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com