#### 3033802

https://www.phoenixcontact.com/us/products/3033802

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Short-circuit connector, pitch: 8.2 mm, number of positions: 2, color: red

## Your advantages

• The bridge has a molded extraction tool which means that it can be used conveniently and without tools for individual bridging tasks

#### Commercial data

Item number	3033802
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE29
Product key	BE2Z2X
Catalog page	Page 407 (C-1-2019)
GTIN	4046356666916
Weight per piece (including packing)	2.66 g
Weight per piece (excluding packing)	2.429 g
Customs tariff number	85366990
Country of origin	CN

PHŒNIX

3033802

https://www.phoenixcontact.com/us/products/3033802



## Technical data

#### Product properties

Product type	Short-circuit connector
Number of positions	2
Pitch	8.2 mm
lectrical properties	
Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular termina blocks.)
onnection data	
Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular termina blocks.)
imensions	
Width	14.7 mm
Height	40.3 mm
Depth	40.3 mm
2000	

#### Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

#### Mounting



https://www.phoenixcontact.com/us/products/3033802



## Classifications

#### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

#### ETIM

	ETIM 9.0	EC000489		
UN	UNSPSC			
	UNSPSC 21.0	39121400		

3033802

https://www.phoenixcontact.com/us/products/3033802



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com