

# C-ME 6/3 - Operating lever

3034390

<https://www.phoenixcontact.com/us/products/3034390>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Operating lever, depth: 5 mm, width: 24.1 mm, height: 5 mm, number of positions: 3, color: orange



## Commercial data

Item number	3034390
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BE29
Product key	BE2ZWX
Catalog page	Page 116 (C-1-2019)
GTIN	4046356284301
Weight per piece (including packing)	1.386 g
Weight per piece (excluding packing)	1.3 g
Customs tariff number	39269097
Country of origin	PL

# C-ME 6/3 - Operating lever

3034390

<https://www.phoenixcontact.com/us/products/3034390>



## Technical data

### Product properties

Product type	Switch module
Number of positions	3

### Dimensions

Width	24.1 mm
Height	5 mm
Depth	5 mm

### Material specifications

Color	orange
Material	PA
Flammability rating according to UL 94	V0

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 85 °C
Ambient temperature (storage/transport)	-25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

# C-ME 6/3 - Operating lever

3034390

<https://www.phoenixcontact.com/us/products/3034390>



## Classifications

### ECLASS

ECLASS-11.0	27141190
ECLASS-12.0	27141190
ECLASS-13.0	27141190

### ETIM

ETIM 9.0	EC002848
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# C-ME 6/3 - Operating lever

3034390

<https://www.phoenixcontact.com/us/products/3034390>



## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)