

https://www.phoenixcontact.com/us/products/3061295



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Fuse, 10.3x38 mm, up to 1000 V DC, gPV characteristics

Your advantages

- 10 x 38 midget fuses for reliable protection of PV modules and their control system
- Use in PV lines with a nominal voltage of up to 1000 V DC
- Designed in accordance with the photovoltaic standard IEC 60269-6

Commercial data

Item number	3061295
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE19
Product key	BE1Z4X
Catalog page	Page 503 (C-1-2019)
GTIN	4046356523622
Weight per piece (including packing)	8.98 g
Weight per piece (excluding packing)	6.8 g
Customs tariff number	85361010
Country of origin	PL



https://www.phoenixcontact.com/us/products/3061295



Technical data

_					
ப	radi	IICt.	nro	perti	20
	ıvu	ucı	טוט	ווסט	53

Product type	Fuse			
Electrical properties				
Fuse	2 A Midget / 10.3 x 38 (without fault display)			
Fuse				
Power dissipation	1.1 W			
Melting integral I ² t	1.7 A ² s			
Connection data				
Connection in acc. with standard	IEC 60269-6			
Nominal current	2 A			
Nominal voltage	1000 V DC			
Dimensions				
Height	38 mm			
Diameter	10.3 mm			
Material specifications				
Color	white			
Standards and regulations				
Connection in acc. with standard	IEC 60269-6			



https://www.phoenixcontact.com/us/products/3061295



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27142002
	ECLASS-12.0	27142002
	ECLASS-13.0	27142002
ET	IM	
	ETIM 9.0	EC002704
UNSPSC		
01		

39121600

3061295

https://www.phoenixcontact.com/us/products/3061295



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com