

https://www.phoenixcontact.com/us/products/3061350



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Fuse, 10.3x38 mm, up to 1000 V DC, gPV characteristics

Your advantages

- 10 x 38 midget fuses for reliable protection of PV modules and their control system
- Use in PV lines with a nominal voltage of up to 1000 V DC
- Designed in accordance with the photovoltaic standard IEC 60269-6

Commercial data

Item number	3061350
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE19
Product key	BE1Z4X
Catalog page	Page 503 (C-1-2019)
GTIN	4046356523783
Weight per piece (including packing)	9.4 g
Weight per piece (excluding packing)	8.2 g
Customs tariff number	85361050
Country of origin	PL



https://www.phoenixcontact.com/us/products/3061350



Technical data

_				
$\mathbf{\nu}$	rad	IICt.	nron	erties
	ıvu	uu	יטטוט	ธา แซง

• •			
Product type	Fuse		
Electrical properties			
Fuse	16 A Midget / 10.3 x 38 (without fault display)		
Fuse			
Power dissipation	2.6 W		
Melting integral I ² t	48 A ² s		
Connection data			
Connection in acc. with standard	IEC 60269-6		
Nominal current	16 A		
Nominal voltage	1000 V DC		
Dimensions			
Height	38 mm		
Diameter	10.3 mm		
Material specifications			
Color	white		
Standards and regulations			
Connection in acc. with standard	IEC 60269-6		



https://www.phoenixcontact.com/us/products/3061350



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27142002
	ECLASS-12.0	27142002
	ECLASS-13.0	27142002
ETIM		
	ETIM 9.0	EC002704
UNSPSC		

39121600

3061350

https://www.phoenixcontact.com/us/products/3061350



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com