

Fuse - FUSE 10,3X85 4A PV - 3062767


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Fuse, 10.3 mm x 85 mm, up to 1500 V DC, gPV characteristic



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 046356 657204
GTIN	4046356657204
Weight per Piece (excluding packing)	14.000 g
Custom tariff number	85361010
Country of origin	Slovenia

Technical data

General

Color	white
-------	-------

Dimensions

Length	85 mm
Diameter	10.3 mm

General

Connection in acc. with standard	IEC 60269-6
Nominal current I_N	4 A
Nominal voltage U_N	1500 V DC
Fuse	Midget/10.3 x 85

Fuse - FUSE 10,3X85 4A PV - 3062767

Technical data

General

Power dissipation	2.7 W
Melting integral I ² t	10.2 A ² s
Disconnect integral I ² t	15.1 A ² s

Standards and Regulations

Connection in acc. with standard	IEC 60269-6
----------------------------------	-------------

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	27142002
eCl@ss 11.0	27142002
eCl@ss 4.0	27142000
eCl@ss 4.1	27142000
eCl@ss 5.0	27142000
eCl@ss 5.1	27142000
eCl@ss 6.0	27142000
eCl@ss 7.0	27142002
eCl@ss 9.0	27142002

ETIM

ETIM 3.0	EC000035
ETIM 4.0	EC002704
ETIM 6.0	EC002704
ETIM 7.0	EC002704

UNSPSC

UNSPSC 6.01	30211915
UNSPSC 7.0901	39121514
UNSPSC 11	39121514
UNSPSC 12.01	39121514
UNSPSC 13.2	39121627
UNSPSC 18.0	39121627
UNSPSC 19.0	39121627

Fuse - FUSE 10,3X85 4A PV - 3062767

Classifications

UNSPSC

UNSPSC 20.0	39121627
UNSPSC 21.0	39121627

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU C- DE.BL08.B.00724
-----	---	--------------------------
