

Fuse - FUSE 10,3X38 8A PV A - 3062779

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Fuse, for the photovoltaics industry according to UL 2579, nominal current: 8 A, length: 38 mm, diameter: 10.3 mm, color: white

Your advantages

- Use in PV lines with a nominal voltage of up to 1000 V DC
- Designed in accordance with the photovoltaic standard UL 2579
- 10x38 midjet fuses for reliable protection of PV modules and their control system



Key Commercial Data

Packing unit	1
GTIN	 4 046356 768184
GTIN	4046356768184
Custom tariff number	85361050

Technical data

General

Color	white
-------	-------

Dimensions

Length	38 mm
Diameter	10.3 mm

General

Connection in acc. with standard	IEC 60269-6
Nominal current I_N	8 A
Nominal voltage U_N	1500 V DC

Fuse - FUSE 10,3X38 8A PV A - 3062779

Technical data

General

Fuse	Midget / 10.3 x 38
Power dissipation	1.9 W
Power dissipation $0.7 \times I_N$	0.8 W
Melting integral I^2t	17 A ² s
Disconnect integral I^2t	65 A ² s

Standards and Regulations

Connection in acc. with standard	IEC 60269-6
----------------------------------	-------------

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	27142002
eCl@ss 11.0	27142002
eCl@ss 4.0	27142000
eCl@ss 4.1	27142000
eCl@ss 5.0	27142000
eCl@ss 5.1	27142000
eCl@ss 6.0	27142000
eCl@ss 7.0	27142002
eCl@ss 9.0	27142002

ETIM

ETIM 3.0	EC000489
ETIM 4.0	EC000035
ETIM 6.0	EC002704
ETIM 7.0	EC002704

UNSPSC

UNSPSC 6.01	30211915
UNSPSC 7.0901	39121514
UNSPSC 11	39121514
UNSPSC 12.01	39121514
UNSPSC 13.2	39121627

Fuse - FUSE 10,3X38 8A PV A - 3062779

Classifications

UNSPSC

UNSPSC 18.0	39121627
UNSPSC 19.0	39121627
UNSPSC 20.0	39121627
UNSPSC 21.0	39121627

Approvals

Approvals


Approvals

EAC / UL Listed

Ex Approvals

Approval details

EAC		RU C- DE.BL08.B.00724
-----	---	--------------------------

UL Listed		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	E360477
Nominal voltage UN	1000 V		