

3202986

https://www.phoenixcontact.com/us/products/3202986

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Assortment box, supplied with TWIN ferrules according to DIN 46228-4, CSA-certified, box contains 50 pcs. AI-TWIN 2x0,5-8 WH, AI-TWIN 2x0,75-8 GY, AI-TWIN 2x1-8 RD, AI-TWIN 2x1,5-8 BK, 25 pcs. AI-TWIN 2x2,5-10 BU

Your advantages

- · Color coding and the transparent cover facilitate fast access to the required ferrules
- · The practical assortment boxes are designed to keep your workshop tidy
- · Using the integrated euro-clip, they can be hung up on perforated board walls, for example, to save space

Commercial data

Item number	3202986
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH34
Product key	BH3416
Catalog page	Page 489 (C-3-2019)
GTIN	4017918947149
Weight per piece (including packing)	110.36 g
Weight per piece (excluding packing)	100.36 g
Customs tariff number	85369010
Country of origin	DE



3202986

https://www.phoenixcontact.com/us/products/3202986

Set consists of

AI-TWIN 2X 0,5 - 8 WH - Ferrule

3200933

https://www.phoenixcontact.com/us/products/3200933



Ferrule, sleeve length: 8 mm, color: white

AI-TWIN 2X 0,75-8 GY - Ferrule

3200807

https://www.phoenixcontact.com/us/products/3200807



Ferrules, for two 0.75 mm² conductors, sleeve length: 8 mm, with plastic collar, galvanically tin-plated, color: gray, color range according to NF C 63-023, CSA-certified



3202986

https://www.phoenixcontact.com/us/products/3202986

AI-TWIN 2X 1 - 8 RD - Ferrule

3200810

https://www.phoenixcontact.com/us/products/3200810



Ferrule, sleeve length: 8 mm, color: red

AI-TWIN 2X 1,5 - 8 BK - Ferrule

3200823

https://www.phoenixcontact.com/us/products/3200823



Ferrule, sleeve length: 8 mm, color: black



3202986

https://www.phoenixcontact.com/us/products/3202986

AI-TWIN 2X 2,5 -10 BU - Ferrule

3200836

https://www.phoenixcontact.com/us/products/3200836



Ferrules, for two 2.5 mm² conductors, sleeve length: 10 mm, with plastic collar, galvanically tin-plated, color: blue, color range according to NF C 63-023, CSA-certified



3202986

https://www.phoenixcontact.com/us/products/3202986

Technical data

Product properties

	Product type	Assortment box		
Material specifications				
	Color	blue		
	Material	CU-DHP		
	Flammability rating according to UL 94	НВ		
	Coating	tin-plated (galvanic)		
	Components	free from silicone and halogen		



3202986

https://www.phoenixcontact.com/us/products/3202986

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27400218			
ECLASS-12.0	27400218			
ECLASS-13.0	27400218			
ETIM				
ETIM 9.0	EC000524			
UNSPSC				

39121400



3202986

https://www.phoenixcontact.com/us/products/3202986

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com