3240047

https://www.phoenixcontact.com/us/products/3240047



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Flat pin cable lug, with tab, soldered neck, yellow, 4 ... 6 mm<sup>2</sup>, pin width: 2.8 mm, easy conductor entry with Easy-Entry, for horizontal and vertical crimping with CRIMPFOX-RCI 6

### Your advantages

- · "Easy Entry" for easy and reliable conductor entry
- · Halogen-free
- · Electrogalvanized

### Commercial data

Item number	3240047
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BH34
Product key	BH3461
Catalog page	Page 497 (C-3-2019)
GTIN	4046356452656
Weight per piece (including packing)	1.736 g
Weight per piece (excluding packing)	1.57 g
Customs tariff number	85369010
Country of origin	TW

3240047

https://www.phoenixcontact.com/us/products/3240047



### Technical data

Product type	Connector
ctrical properties	
Fuse	no
nensions	
Dimensional drawing	
Width	2.8 mm
Length of the insulating material sleeve	14 mm
Length contact range	18 mm
Maximum stripping length	9 mm
Min. material thickness	0.8 mm
Inner dimensions of the insulating collar	6.5 mm

Color	yellow
Material	Copper
Flammability rating according to UL 94	V2
Coating	tin-plated
Insulating material	PA
Components	halogen-free

#### Environmental and real-life conditions

Ambient temperature (operation)	-20 °C 105 °C
Permanent temperature	105 °C
Short-term temperature	120 °C

3240047

https://www.phoenixcontact.com/us/products/3240047



## Classifications

#### ECLASS

ECLASS-13.0 27400204   ECLASS-12.0 27400204	ECLASS-11.0	27400204
ECLASS-12.0 27400204	ECLASS-13.0	27400204
	ECLASS-12.0	27400204

#### ETIM

	ETIM 9.0	EC001052
UNSPSC		
	UNSPSC 21.0	27121700

3240047 https://www.phoenixcontact.com/us/products/3240047



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com