

NS 35/15 ZN UNPERF 3000MM - DIN rail, unperforated



3240065
<https://www.phoenixcontact.com/us/products/3240065>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail, unperforated, similar to EN 60715, material: Steel, galvanized, Standard profile

Commercial data

Item number	3240065
Packing unit	1 pc
Minimum order quantity	200 pc
Product key	BE7232
GTIN	4046356756099
Weight per piece (including packing)	1,962 g
Weight per piece (excluding packing)	1,962 g
Country of origin	DE

NS 35/15 ZN UNPERF 3000MM - DIN rail, unperforated




3240065
<https://www.phoenixcontact.com/us/products/3240065>

Technical data

Product properties

Product type	DIN rail
--------------	----------

Dimensions

Dimensional drawing	
Width	35 mm
Height	3000 mm
Depth	15 mm
Length	3000 mm

Material specifications

Material	Steel
Coating	galvanized

Standards and regulations

Connection in acc. with standard	IEC / EN
Tests	similar to EN 60715

NS 35/15 ZN UNPERF 3000MM - DIN rail, unperforated



3240065

<https://www.phoenixcontact.com/us/products/3240065>

Classifications

ECLASS

ECLASS-11.0	27400602
ECLASS-13.0	27400602
ECLASS-12.0	27400602

ETIM

ETIM 9.0	EC001285
----------	----------

UNSPSC

UNSPSC 21.0	39121700
-------------	----------

NS 35/15 ZN UNPERF 3000MM - DIN rail, unperforated



3240065
<https://www.phoenixcontact.com/us/products/3240065>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com