#### 3240138

https://www.phoenixcontact.com/us/products/3240138

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Fork-type cable lug, non-insulated, 0.5 - 1 mm<sup>2</sup>, M3,5

### Your advantages

- The fork-type cable lugs without plastic sleeve feature a hard-soldered neck. In conjunction with the CRIMPFOX-RC ... and CRIMPFOX-RCI ... pliers they can be used to achieve maximum conductor pull-out forces
- The insulated versions are halogen-free and feature "EASY ENTRY" technology

### Commercial data

Item number	3240138
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	BH34
Product key	BH3442
Catalog page	Page 494 (C-3-2019)
GTIN	4046356453554
Weight per piece (including packing)	0.551 g
Weight per piece (excluding packing)	0.551 g
Customs tariff number	85369010
Country of origin	CN

3240138

https://www.phoenixcontact.com/us/products/3240138



### Technical data

Product type	Connector	
mensions		
Dimensional drawing		
Width	6.2 mm	
Length of the insulating material sleeve	4.5 mm	
Maximum stripping length	7 mm	
Distance from the center to the insulating material sleeve	7.2 mm	
Min. material thickness	0.75 mm	
Inner dimensions of the insulating collar	1.9 mm	
Internal dimensions		
Internal diameter	3.7 mm	
Material specifications		
Color	silver	
Material	Copper	
Coating	tin-plated	
Components	halogen-free	
vironmental and real-life conditions		
	110 °C	
Ambient temperature (operation)		

Design according to standard

DIN 46234

3240138

https://www.phoenixcontact.com/us/products/3240138



## Classifications

#### ECLASS

ECLASS-11.0	27400204
ECLASS-13.0	27400204
ECLASS-12.0	27400204

### ETIM

	ETIM 9.0	EC001052	
UNSPSC			
	UNSPSC 21.0	27121700	

3240138

https://www.phoenixcontact.com/us/products/3240138



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com