

https://www.phoenixcontact.com/us/products/3240215



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Shield connection terminal block, for direct shield on conductive mounting panels



Commercial data

Item number	3240215
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE75
Product key	BE7521
Catalog page	Page 569 (C-3-2019)
GTIN	4046356458924
Weight per piece (including packing)	38.7 g
Weight per piece (excluding packing)	38.7 g
Customs tariff number	85369010
Country of origin	DE



https://www.phoenixcontact.com/us/products/3240215



Technical data

Product properties

Product type	Shield connection clamp
Pitch	24.7 mm
Number of connections	1
Number of rows	1

Electrical properties

Maximum power dissipation for nominal condition	1.02 W
---	--------

Connection data

Grounding foot	Yes
Screw thread	M4
Conductor cross section rigid	10 mm² 20 mm²
Cross section AWG	6 6 (converted acc. to IEC)
Conductor cross section flexible	10 mm² 20 mm²
Conductor cross section, flexible [AWG]	6 6 (converted acc. to IEC)

Dimensions

Width	24.7 mm
Height	27 mm
Depth	49.2 mm
Pitch	24.7 mm

Material specifications

Color	silver
Material	Steel

Cable/line

Mechanical properties

Mechanical data

Open side panel	No

Mounting

Mounting type	direct screw connection



3240215

https://www.phoenixcontact.com/us/products/3240215

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27141150
ECLASS-12.0	27141150
ECLASS-13.0	27250309
ETIM	
ETIM 9.0	EC002020
UNSPSC	

39121400



https://www.phoenixcontact.com/us/products/3240215



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com