# CD 25X25 BU - Cable duct

3240301

https://www.phoenixcontact.com/us/products/3240301

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable duct for installation and mounting in control cabinets, blue, comprising upper part and mounting base, width: 25 mm, height: 25 mm, length: 2000 mm

### Your advantages

- · Predetermined breaking point enables tool-free, burr-free removal of bars
- Thanks to its leverage and special cutting geometry, the PPS CD cable duct cutter enables easy, burr-free cutting with minimum effort
- · Easy, burr-free cutting with minimum effort using the CUTFOX-CD cable duct cutter
- · The wide, diagonal heads of the cable duct bars make it easy to fit the cover and hold it securely in place
- · Installed conductors are securely held in place by means of wire retaining clips that can be snapped onto bars on the side
- Plastic body-bound rivets enable easy fixing of cable ducts using the rivet setting tool

### Commercial data

Item number	3240301
Packing unit	25 pc
Minimum order quantity	25 pc
Sales key	BE74
Product key	BE7432
Catalog page	Page 579 (C-3-2019)
GTIN	4046356519991
Weight per piece (including packing)	480 g
Weight per piece (excluding packing)	480 g
Customs tariff number	39259020
Country of origin	DE

# CD 25X25 BU - Cable duct

3240301

https://www.phoenixcontact.com/us/products/3240301



## Technical data

Ambient conditions

Product type	Wiring duct
nection data	
Nominal cross section	220 mm <sup>2</sup>
nensions	
Dimensional drawing	
Width	25 mm
Height	2000 mm
Depth	25 mm
Length	2000 mm
terial specifications	
Color	blue
Material	PVC
Flammability rating according to UL 94	V0
Components	Lead-free
ble/line	
Halogen-free	no
Halogen-free	no
vironmental and real-life conditions	

# Ambient temperature (operation)-5 °C ... 60 °C

# CD 25X25 BU - Cable duct

3240301

https://www.phoenixcontact.com/us/products/3240301



## Classifications

#### ECLASS

ECLASS-12.0 27400703   ECLASS-13.0 27400703	ECLASS-11.0	27400703
ECLASS-13.0 27400703	ECLASS-12.0	27400703
	ECLASS-13.0	27400703

#### ETIM

	ETIM 9.0	EC000012			
UN	UNSPSC				
	UNSPSC 21.0	39131700			



3240301 https://www.phoenixcontact.com/us/products/3240301



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com