CD-HF COVER 25 - Cover profile

3240369

https://www.phoenixcontact.com/us/products/3240369

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.




Cover for cable duct, light gray, halogen-free, width: 25 mm, length: 2000 mm

Commercial data

Item number	3240369
Packing unit	14 pc
Minimum order quantity	14 pc
Sales key	BE74
Product key	BE7441
Catalog page	Page 553 (C-5-2015)
GTIN	4046356508544
Weight per piece (including packing)	250 g
Weight per piece (excluding packing)	250 g
Customs tariff number	39259020
Country of origin	DE

PHŒNIX



3240369

https://www.phoenixcontact.com/us/products/3240369



Technical data

Product properties

	Product type	Cover
Din	nensions	
	Width	25 mm
	Height	2000 mm
	Depth	14.4 mm
	Length	2000 mm


Material specifications

Color	light grey
Material	PC/ABS
Flammability rating according to UL 94	V0
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Components	halogen-free

Environmental and real-life conditions

Ambient conditions

	Ambient temperature (operation)	-40 °C 90 °C	
--	---------------------------------	--------------	--



3240369

https://www.phoenixcontact.com/us/products/3240369



Classifications

ECLASS

ECLASS-11.0	27400776
ECLASS-13.0	27400776
ECLASS-12.0	27400776

ETIM

	ETIM 9.0	EC000727
UNSPSC		
	UNSPSC 21.0	39131700



3240369

https://www.phoenixcontact.com/us/products/3240369



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com