

https://www.phoenixcontact.com/us/products/3240705

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable binder base, for cable binders up to 9 mm wide, screwable, 5 mm fixing hole, 2-sided cable binder feed-through

Commercial data

Item number	3240705
Packing unit	100 рс
Minimum order quantity	100 рс
Sales key	BE07
Product key	BE713Z
Catalog page	Page 622 (C-3-2019)
GTIN	4046356703925
Weight per piece (including packing)	1.51 g
Weight per piece (excluding packing)	1.05 g
Customs tariff number	39269097
Country of origin	IT

PHENIX



https://www.phoenixcontact.com/us/products/3240705



Technical data

Product properties

Product type	Cable tie
Туре	Fixing
Tensile strength GRP	700 N

Dimensions

Width	14.6 mm	
Height	11 mm	
Length	22.5 mm	
Hole diameter	5 mm	
Diameter mounting hole	5 mm	
Internal dimensions		

9 mm

Material specifications

Width_inside

Color	black
Material	PA 6.6
Flammability rating according to UL 94	V2
Components	free from silicone and halogen

Cable/line

Tensile strength	700 N
------------------	-------

Environmental and real-life conditions

Ambient conditions	
Ambient temperature (operation)	-40 °C 85 °C
Ambient temperature (assembly)	-10 °C 60 °C

Mounting

Mounting type	Screw mounting
---------------	----------------

3240705

https://www.phoenixcontact.com/us/products/3240705



Classifications

ECLASS

ECLASS-11.0	23152509
ECLASS-13.0	23159090
ECLASS-12.0	23152509

ETIM

	ETIM 9.0	EC000127
UNSPSC		
	UNSPSC 21.0	39121700

3240705

https://www.phoenixcontact.com/us/products/3240705

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com