

3240708

https://www.phoenixcontact.com/us/products/3240708

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable binder base, for cable binders up to 6 mm wide, self-adhesive (rubber) and screwable, 4.8 mm fixing hole, 4-sided cable binder feed-through



## Commercial data

Item number	3240708
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	BE07
Product key	BE713Z
Catalog page	Page 622 (C-3-2019)
GTIN	4046356703956
Weight per piece (including packing)	1.688 g
Weight per piece (excluding packing)	1.69 g
Customs tariff number	39269097
Country of origin	HR



3240708

https://www.phoenixcontact.com/us/products/3240708

## Technical data

## Product properties

Product type	Cable tie
Туре	Fixing
Tensile strength GRP	220 N

#### **Dimensions**

Width	27 mm
Height	6.5 mm
Length	27 mm
Hole diameter	4.8 mm
Diameter mounting hole	4.8 mm
Internal dimensions	

6 mm

## Material specifications

Width\_inside

Color	transparent
Material	ABS
Flammability rating according to UL 94	НВ
Components	free from silicone and halogen

#### Cable/line

Tensile strength	220 N

#### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C 60 °C
Ambient temperature (assembly)	-15 °C 40 °C

## Mounting

Mounting type	Screw mounting
	adhesive



3240708

https://www.phoenixcontact.com/us/products/3240708

# Classifications

### **ECLASS**

	ECLASS-11.0	23152509
	ECLASS-12.0	23152509
	ECLASS-13.0	23159090
ETIM		
	ETIM 9.0	EC000127
UN	NSPSC	
	UNSPSC 21.0	39121700



3240708

https://www.phoenixcontact.com/us/products/3240708

# Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com