

https://www.phoenixcontact.com/us/products/3240838

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Protective hose, material: PA 6, UV-resistant: yes, flexible, degree of protection: IP68, color: black, flammability rating in acc. with UL 94: HB, inner diameter: 7 mm, Total length: 50 m

### Commercial data

Item number	3240838
Packing unit	1 m
Minimum order quantity	1 m
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 585 (C-3-2019)
GTIN	4046356736541
Weight per piece (including packing)	1,699.5 g
Weight per piece (excluding packing)	1,699.5 g
Customs tariff number	39173200
Country of origin	DE

PHŒNIX

3240838

https://www.phoenixcontact.com/us/products/3240838



### Technical data

Protective hose length is measured stretched out; length tolerance $\pm 5\%$			
Corrugated pipe			
100 N			
Dimensions			
10 mm			
Internal dimensions			
6.5 mm			
PA 6			
НВ			
free from silicone, halogen, and cadmium			
35 mm			
13 mm			
100 N			
yes			
Environmental and real-life conditions			
IP68			
IP69K			
-25 °C 120 °C			
-25 °C 120 °C			
-25 °C 120 °C yes			



https://www.phoenixcontact.com/us/products/3240838



### Classifications

#### ECLASS

ECLASS-11.0	27430304	
ECLASS-12.0	27430304	
ECLASS-13.0	27430304	

#### ETIM

	ETIM 9.0	EC001177			
U	UNSPSC				
	UNSPSC 21.0	40141700			

3240838

https://www.phoenixcontact.com/us/products/3240838



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com