

3240844

https://www.phoenixcontact.com/us/products/3240844

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Protective hose, material: PA 6, UV-resistant: yes, flexible, degree of protection: IP68, color: black, flammability rating in acc. with UL 94: HB, inner diameter: 36 mm, Total length: 25 m

#### Commercial data

Item number	3240844
Packing unit	1 m
Minimum order quantity	1 m
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 585 (C-3-2019)
GTIN	4046356736602
Weight per piece (including packing)	350 g
Weight per piece (excluding packing)	98,225 g
Customs tariff number	39173200
Country of origin	DE



3240844

https://www.phoenixcontact.com/us/products/3240844

#### Technical data

#### Notes

General	Protective hose length is measured stretched out; length tolerance ±5%

#### Product properties

Product type	Corrugated pipe
Tensile strength GRP	100 N

#### **Dimensions**

#### External dimensions

Outside diameter	42.5 mm	
Internal dimensions		
Internal diameter	36 mm	

#### Material specifications

Material	PA 6
Flammability rating according to UL 94	НВ
Components	free from silicone, halogen, and cadmium

#### Cable/line

Bending radius, dynamic	150 mm
Bending radius, static	90 mm
Tensile strength	100 N
Halogen-free	yes

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP68
	IP69K
Ambient temperature (operation)	-25 °C 120 °C
Resistance to UV radiation	yes
Short-term temperature	120 °C

#### Standards and regulations

Resistance to UV radiation	yes



3240844

https://www.phoenixcontact.com/us/products/3240844

## Classifications

#### **ECLASS**

	ECLASS-11.0	27430304	
	ECLASS-13.0	27430304	
	ECLASS-12.0	27430304	
ETIM			
	ETIM 9.0	EC001177	
UNSPSC			
	UNSPSC 21.0	40141700	



3240844

https://www.phoenixcontact.com/us/products/3240844

### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com