

3240853

https://www.phoenixcontact.com/us/products/3240853

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Protective hose, material: PVC, filament: PVC sheathed spring steel, UV-resistant: no, flexible, degree of protection: IP68, color: gray, inner diameter: 22 mm, Total length: 10 m

### Commercial data

Item number	3240853
Packing unit	1 m
Minimum order quantity	1 m
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 592 (C-3-2019)
GTIN	4046356736794
Weight per piece (including packing)	999.9 g
Weight per piece (excluding packing)	999.9 g
Customs tariff number	39173200
Country of origin	DE



3240853

https://www.phoenixcontact.com/us/products/3240853

## Technical data

#### Notes

General	Protective hose length is measured stretched out; length
	tolerance ±5%

### Product properties

Product type	Corrugated pipe
Tensile strength GRP	100 N

#### **Dimensions**

#### External dimensions

Outside diameter	27 mm	
Internal dimensions		
Internal diameter	22 mm	

### Material specifications

Material	PVC
Material Coil	PVC
Components	Free from silicone and cadmium

### Cable/line

Bending radius, dynamic	50 mm
Bending radius, static	20 mm
Tensile strength	100 N
Halogen-free	no

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP68
Ambient temperature (operation)	-25 °C 90 °C
Resistance to UV radiation	no
Short-term temperature	100 °C

### Standards and regulations

Resistance to UV radiation	no



3240853

https://www.phoenixcontact.com/us/products/3240853

# Classifications

#### **ECLASS**

	ECLASS-11.0	27430304
	ECLASS-12.0	27430304
	ECLASS-13.0	27430304
ETIM		
	ETIM 9.0	EC001177
UNSPSC		
	UNSPSC 21.0	40141700



3240853

https://www.phoenixcontact.com/us/products/3240853

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com