3240858

https://www.phoenixcontact.com/us/products/3240858

documentation. Our general terms of use for downloads are valid.

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user

Protective hose, material: PU, filament: PUR sheathed spring steel, UV-resistant: no, flexible, degree of protection: IP68, color: blue, flammability rating in acc. with UL 94: V2, inner diameter: 13 mm, Total length: 10 m

Commercial data

Item number	3240858
Packing unit	1 m
Minimum order quantity	1 m
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 593 (C-3-2019)
GTIN	4046356736848
Weight per piece (including packing)	999.9 g
Weight per piece (excluding packing)	999.9 g
Customs tariff number	39173200
Country of origin	DE

PHŒNIX

3240858

https://www.phoenixcontact.com/us/products/3240858



Technical data

otes	
General	Protective hose length is measured stretched out; length tolerance ±5%
roduct properties	
Product type	Corrugated pipe
Tensile strength GRP	100 N
imensions	
External dimensions	
Outside diameter	17 mm
Internal dimensions	
Internal diameter	13 mm
laterial specifications	
Material	PU
Material Coil	PUR
Flammability rating according to UL 94	V2
Components	free from silicone, halogen, and cadmium
able/line	
Bending radius, dynamic	35 mm
Bending radius, static	13 mm
Tensile strength	100 N
Halogen-free	yes
nvironmental and real-life conditions	
Ambient conditions	
Degree of protection	IP68
Ambient temperature (operation)	-40 °C 100 °C
Resistance to UV radiation	no
Short-term temperature	120 °C
tandards and regulations	
Resistance to UV radiation	no

3240858

https://www.phoenixcontact.com/us/products/3240858



Classifications

ECLASS

ECLASS-13.0 27430304 ECLASS-12.0 27430304	ECLASS-11.0	27430304
ECLASS-12.0 27430304	ECLASS-13.0	27430304
	ECLASS-12.0	27430304

ETIM

	ETIM 9.0	EC001177	
UNSPSC			
	UNSPSC 21.0	40141700	

3240858

https://www.phoenixcontact.com/us/products/3240858



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com