WP-G HF IP69K PG36 BK - Screw connection

3240880

https://www.phoenixcontact.com/us/products/3240880

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable gland, Pg thread, IP68/69k protection, straight

Commercial data

Item number	3240880
Packing unit	25 рс
Minimum order quantity	25 рс
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 587 (C-3-2019)
GTIN	4046356709873
Weight per piece (including packing)	60 g
Weight per piece (excluding packing)	60 g
Customs tariff number	39174000
Country of origin	DE

PHENIX

WP-G HF IP69K PG36 BK - Screw connection



3240880

https://www.phoenixcontact.com/us/products/3240880

Technical data

Product properties

Product type	Corrugated pipe screw connection
Application	Cable gland
Туре	Outer thread
Cable outlet	straight
Thread type	Pg

Dimensions

Width	63 mm
Height	76 mm
Wrench size for mounting	60 mm

Material specifications

Material	PA 6
Flammability rating according to UL 94	V2
Material for screw connection	PA
Components	free from silicone, halogen, and cadmium

Cable/line

Halogen-free	yes
--------------	-----

Environmental and real-life conditions

Ambient conditions	
Degree of protection	IP68
	IP69K
Ambient temperature (operation)	-40 °C 120 °C

Mounting

Wrench size	60 mm
-------------	-------



3240880

https://www.phoenixcontact.com/us/products/3240880

Classifications

ECLASS

ECLASS-11.0	27430311
ECLASS-13.0	27430311
ECLASS-12.0	27430311

ETIM

	ETIM 9.0	EC001178
UN	UNSPSC	
	UNSPSC 21.0	39121300

WP-G HF IP69K PG36 BK - Screw connection

3240880

https://www.phoenixcontact.com/us/products/3240880

PHŒNIX CONTACT

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com