

3240885

https://www.phoenixcontact.com/us/products/3240885

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable gland, metric thread, IP68/69k protection, straight

Commercial data

Item number	3240885
Packing unit	25 pc
Minimum order quantity	25 pc
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 587 (C-3-2019)
GTIN	4046356709927
Weight per piece (including packing)	16.579 g
Weight per piece (excluding packing)	16.579 g
Customs tariff number	39174000
Country of origin	DE



3240885

https://www.phoenixcontact.com/us/products/3240885

Technical data

Product properties

Product type	Corrugated pipe screw connection
Application	Cable gland
Type of the screw connection	Conduit adapter
Туре	Outer thread
Cable outlet	straight
Thread type	metric

Dimensions

Width	37 mm
Height	47 mm
Wrench size for mounting	34 mm

Material specifications

Material	PA 6
Flammability rating according to UL 94	V2
Material for screw connection	PA
Components	free from silicone, halogen, and cadmium

Cable/line

Halogen-free	yes

Mechanical properties

Mechanical data

Type of the screw connection	Conduit adapter

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP68
	IP69K
Ambient temperature (operation)	-40 °C 120 °C

Mounting

Wrench size	34 mm



3240885

https://www.phoenixcontact.com/us/products/3240885

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27430311	
ECLASS-13.0	27430311	
ECLASS-12.0	27430311	
ETIM		
ETIM 9.0	EC001178	
UNSPSC		

39121300



3240885

https://www.phoenixcontact.com/us/products/3240885

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com