# WP-GA HF IP69K PG9 BK - Screw connection

#### 3240903

https://www.phoenixcontact.com/us/products/3240903

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable gland, Pg thread, IP68/69k protection, angled



### Commercial data

Item number	3240903
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 589 (C-3-2019)
GTIN	4046356710107
Weight per piece (including packing)	6.79 g
Weight per piece (excluding packing)	6.79 g
Customs tariff number	39174000
Country of origin	DE

PHŒNIX

# WP-GA HF IP69K PG9 BK - Screw connection



https://www.phoenixcontact.com/us/products/3240903



## Technical data

#### Product properties

Product type	Corrugated pipe screw connection
Application	Cable gland
Туре	Outer thread
Cable outlet	angled
Thread type	Pg

#### Dimensions

Width	20 mm
WIUII	20 11111
Height	37 mm
Length	34 mm
Diameter	20 mm

#### Material specifications

Material	PA 6
Flammability rating according to UL 94	V2
Material for screw connection	PA
Components	free from silicone, halogen, and cadmium

#### Cable/line

Halogen-free	ves	

#### Environmental and real-life conditions

Ambient conditions	

Degree of protection	IP68
	IP69K
Ambient temperature (operation)	-40 °C 120 °C

3240903

https://www.phoenixcontact.com/us/products/3240903



## Classifications

#### ECLASS

ECLASS-11.0	27430311
ECLASS-13.0	27430311
ECLASS-12.0	27430311

#### ETIM

	ETIM 9.0	EC001178
UN	ISPSC	
	UNSPSC 21.0	39121300

# WP-GA HF IP69K PG9 BK - Screw connection

3240903

https://www.phoenixcontact.com/us/products/3240903

# 

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com