

3240907

https://www.phoenixcontact.com/us/products/3240907

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable gland, Pg thread, IP68/69k protection, angled



## Commercial data

Item number	3240907
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 589 (C-3-2019)
GTIN	4046356710145
Weight per piece (including packing)	41.64 g
Weight per piece (excluding packing)	41.64 g
Customs tariff number	39174000
Country of origin	DE



3240907

https://www.phoenixcontact.com/us/products/3240907

## Technical data

## Product properties

Product type	Corrugated pipe screw connection
Application	Cable gland
Type of the screw connection	Conduit adapter
Туре	Outer thread
Cable outlet	angled
Thread type	Pg

#### Dimensions

Width	44 mm
Height	67.5 mm
Length	65 mm
Diameter	43 mm

## Material specifications

Material	PA 6
Flammability rating according to UL 94	V2
Material for screw connection	PA
Components	free from silicone, halogen, and cadmium

## Cable/line

Helenen from	
Halogen-free	yes

## Mechanical properties

#### Mechanical data

Type of the screw connection	Conduit adapter
71	

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP68
	IP69K
Ambient temperature (operation)	-40 °C 120 °C



3240907

https://www.phoenixcontact.com/us/products/3240907

# Classifications

UNSPSC 21.0

#### **ECLASS**

	ECLASS-11.0	27430311
	ECLASS-13.0	27430311
	ECLASS-12.0	27430311
ETIM		
	ETIM 9.0	EC001178
UNS	SPSC	

39121300



3240907

https://www.phoenixcontact.com/us/products/3240907

# Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com