

3240976

https://www.phoenixcontact.com/us/products/3240976

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Transition sleeve from hose to cable, material: TPE, color: black, flammability rating in acc. with UL 94: HB

### Commercial data

Item number	3240976
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 585 (C-3-2019)
GTIN	4046356710947
Weight per piece (including packing)	3.04 g
Weight per piece (excluding packing)	3.04 g
Customs tariff number	39174000
Country of origin	DE



3240976

https://www.phoenixcontact.com/us/products/3240976

### Technical data

### Product properties

	Product type	Protective cap		
Dimensions				
	Length	36.5 mm		
	Diameter	15.8 mm		

#### Material specifications

Material	TPE
Flammability rating according to UL 94	НВ
Components	halogen-free

#### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C 120 °C
Short-term temperature	150 °C



3240976

https://www.phoenixcontact.com/us/products/3240976

## Classifications

#### **ECLASS**

ECLASS-11.0	27430316	
ECLASS-12.0	27430316	
ECLASS-13.0	27430316	
ETIM		
ETIM 9.0	EC000519	
LINISDSC		

### **UNSPSC**



3240976

https://www.phoenixcontact.com/us/products/3240976

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com