WG-S HF 40 BK - Spiral tube

3241114

https://www.phoenixcontact.com/us/products/3241114

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Spiral hose, for easy bundling and guiding of cables and conductors, offers protection against slight mechanical strain

Commercial data

Item number	3241114
Packing unit	25 m
Minimum order quantity	25 m
Sales key	BE74
Product key	BE7451
Catalog page	Page 601 (C-3-2019)
GTIN	4046356717434
Weight per piece (including packing)	14.2 g
Weight per piece (excluding packing)	397 g
Customs tariff number	39269097
Country of origin	PL

WG-S HF 40 BK - Spiral tube

3241114

https://www.phoenixcontact.com/us/products/3241114



Technical data

Product properties

	Product type	Cable tie			
	Туре	Continuous strip			
Dimensions					
	Width	40 mm			
	Length	25 m			
	nternal dimensions				
	Internal diameter	6.5 mm			
Material specifications					
	Color	black			
	Material	PE			
	Flammability rating according to UL 94	HB			
	Components	free from silicone and halogen			
Cable/line					
	External cable diameter	7 mm 40 mm			
Environmental and real-life conditions					
/	Ambient conditions				
	Ambient temperature (operation)	-50 °C 85 °C			
	Ambient temperature (assembly)	-20 °C 60 °C			
Мс	unting				
	Mounting type	Twist			

WG-S HF 40 BK - Spiral tube

3241114

https://www.phoenixcontact.com/us/products/3241114



Classifications

ECLASS

ECLASS-11.0	27430302
ECLASS-12.0	27430302
ECLASS-13.0	27430302

ETIM

	ETIM 9.0	EC002604		
UNSPSC				
	UNSPSC 21.0	39131700		



3241114

https://www.phoenixcontact.com/us/products/3241114



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com