## C-PCEI 2,5/2 - Cable lug

#### 3241216

https://www.phoenixcontact.com/us/products/3241216



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Pin cable lug, blue,  $1.5 - 2.5 \text{ mm}^2$ , L1 = 12 mm, with copper sleeve incorporated, for insulation crimp

### Your advantages

- · "Easy Entry" for easy and reliable conductor entry
- · Halogen-free
- · Electrogalvanized
- The mechanical load capacity of the connection is significantly increased by the additionally applied copper sleeve (insulation crimp)

#### Commercial data

Item number	3241216
Packing unit	100 рс
Minimum order quantity	100 рс
Sales key	BH34
Product key	BH3461
Catalog page	Page 496 (C-3-2019)
GTIN	4046356826211
Weight per piece (including packing)	1.15 g
Weight per piece (excluding packing)	1.15 g
Customs tariff number	85369010
Country of origin	TW

# C-PCEI 2,5/2 - Cable lug

3241216

https://www.phoenixcontact.com/us/products/3241216



### Technical data

roduct properties	
Product type	Connector
lectrical properties	
Fuse	yes
Dimensions	
Dimensional drawing	
Length of the insulating material sleeve	11 mm
Length contact range	10.5 mm
Min. material thickness	0.8 mm
Inner dimensions of the insulating collar	4.5 mm
Internal dimensions	
Internal diameter	1.9 mm
laterial specifications	
Color	blue
Material	Copper
Flammability rating according to UL 94	V2
Coating	tin-plated
Insulating material	PA
Components	halogen-free

#### Environmental and real-life conditions

Ambient conditions	
Ambient temperature (operation)	-20 °C 105 °C

# C-PCEI 2,5/2 - Cable lug

3241216

https://www.phoenixcontact.com/us/products/3241216




## Classifications

#### ECLASS

ECLASS-13.0 27400204   ECLASS-12.0 27400204	ECLASS-11.0	27400204
ECLASS-12.0 27400204	ECLASS-13.0	27400204
	ECLASS-12.0	27400204

#### ETIM

	ETIM 9.0	EC001052	
UNSPSC			
	UNSPSC 21.0	27121700	



3241216 https://www.phoenixcontact.com/us/products/3241216



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com