

3241220

https://www.phoenixcontact.com/us/products/3241220

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Corrugated pipe adapter, with internal thread, for connecting corrugated pipes to HEAVYCON EVO M20 plastic cable glands or ADVANCE M20 plastic housings, straight, black, IP66.

Commercial data

Item number	3241220
Packing unit	20 pc
Minimum order quantity	20 pc
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 585 (C-4-2013)
GTIN	4046356860826
Weight per piece (including packing)	14.71 g
Weight per piece (excluding packing)	14.71 g
Customs tariff number	39269097
Country of origin	DE



3241220

https://www.phoenixcontact.com/us/products/3241220

Technical data

Product properties

Product type	Corrugated pipe screw connection
Application	Cable gland
Туре	Internal thread
Thread type	metric

Material specifications

Material	PA
Flammability rating according to UL 94	V2
Material for screw connection	PA
Components	free from silicone, halogen, and cadmium

Cable/line

Environmental and real-life conditions

A	Ambient conditions	
	Degree of protection	IP66
	Ambient temperature (operation)	-40 °C 115 °C

Mounting

Assembly instructions	The corrugated pipe adapter is used in the screw connection
	instead of the union nut. Thanks to the adapter, corrugated pipes
	can be used.



3241220

https://www.phoenixcontact.com/us/products/3241220

Classifications

ECLASS

ECLASS-11.0	27430311
ECLASS-13.0	27430311
ECLASS-12.0	27430311

ETIM

	ETIM 9.0	EC001178
UNSPSC		
	UNSPSC 21.0	39121300



3241220

https://www.phoenixcontact.com/us/products/3241220

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com