WP-GR HF CTA M32 BK - Corrugated tube screw connection



3241222

https://www.phoenixcontact.com/us/products/3241222

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Corrugated pipe adapter, with internal thread, for connecting corrugated pipes to HEAVYCON EVO M32 plastic cable glands or ADVANCE M32 plastic housings, straight, black, IP66.

Commercial data

Item number	3241222
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 585 (C-4-2013)
GTIN	4046356860840
Weight per piece (including packing)	30.39 g
Weight per piece (excluding packing)	30.39 g
Customs tariff number	39269097
Country of origin	DE

WP-GR HF CTA M32 BK - Corrugated tube screw connection



3241222

https://www.phoenixcontact.com/us/products/3241222

Technical data

Product properties

Product type	Corrugated pipe screw connection
Application	Cable gland
Туре	Internal thread
Thread type	metric

Material specifications

Material	PA
Flammability rating according to UL 94	V2
Material for screw connection	PA
Components	free from silicone, halogen, and cadmium

Cable/line

Halogen-free	VAS
ridiogen nee	yes

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
Ambient temperature (operation)	-40 °C 115 °C

Mounting

Assembly instructions	The corrugated pipe adapter is used in the screw connection
	instead of the union nut. Thanks to the adapter, corrugated pipes
	can be used.

WP-GR HF CTA M32 BK - Corrugated tube screw connection



3241222

https://www.phoenixcontact.com/us/products/3241222

Classifications

ECLASS

	ECLASS-11.0	27430311
	ECLASS-13.0	27430311
	ECLASS-12.0	27430311
ETIM		
	ETIM 9.0	EC001178
UNSPSC		
	UNSPSC 21.0	39121300

WP-GR HF CTA M32 BK - Corrugated tube screw connection



3241222

https://www.phoenixcontact.com/us/products/3241222

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com