

# SS-ZB WH - Contactor marker - zack marker strip



5031171

<https://www.phoenixcontact.com/us/products/5031171>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Contactor marker - zack marker strip, Strip, white, unlabeled, can be labeled with: CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 20 x 8 mm, Number of individual labels: 5

## Commercial data

Item number	5031171
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BG05
Product key	BG2412
Catalog page	Page 242 (C-3-2019)
GTIN	4017918095406
Weight per piece (including packing)	1.357 g
Weight per piece (excluding packing)	1.356 g
Customs tariff number	39269097
Country of origin	PL

# SS-ZB WH - Contactor marker - zack marker strip



5031171

<https://www.phoenixcontact.com/us/products/5031171>

## Technical data

### Product properties

Product type	Device marking
--------------	----------------

### Marking

Number of individual labels	5
-----------------------------	---

### Mounting

Mounting type	snapped
---------------	---------

### Material specifications

Color	white
Material	PA
Flammability rating according to UL 94	V2
Components	free from silicone and halogen

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)

### Dimensions

Width	20 mm
Length	8 mm

### Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

### Notes

General	Can be labeled with CMS
---------	-------------------------

# SS-ZB WH - Contactor marker - zack marker strip



5031171

<https://www.phoenixcontact.com/us/products/5031171>

## Classifications

### ECLASS

ECLASS-11.0	27281103
ECLASS-12.0	27281103
ECLASS-13.0	27281103

### ETIM

ETIM 9.0	EC001288
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)