

5145384

https://www.phoenixcontact.com/us/products/5145384

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Ink ribbon, for roll printers for printing the product groups TML..., WML..., WML HF..., WML-FLAG..., EML-ESD..., EML-RM..., EML-HA..., EMLS..., EMLC..., EMLP... and PMM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

Commercial data

Item number	5145384
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG02
Product key	BG1223
Catalog page	Page 40 (C-3-2019)
GTIN	4046356107471
Weight per piece (including packing)	355.4 g
Weight per piece (excluding packing)	346.4 g
Customs tariff number	96121010
Country of origin	CN



5145384

https://www.phoenixcontact.com/us/products/5145384

Technical data

Product properties

	Product type	Ink ribbon	
ı	Marking		
	Identification technology	Thermal transfer	
Dimensions			
	Width	110 mm	

D

Width	110 mm
Length	300 m
Length of roll	300 m

Material specifications

Color	black
Material	Polyester

Environmental and real-life conditions

Ambient conditions

Recommended ambient temperature (storage/transport)	5 °C 35 °C
Recommended humidity (storage/transport)	30 % 85 % (Storage in a dry and dark place in the original packaging is recommended)
Shelf life	24 months

Mar 7, 2024, 3:27 PM Page 2 (4)



5145384

https://www.phoenixcontact.com/us/products/5145384

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	19140614	
ECLASS-12.0	19140614	
ECLASS-13.0	19140614	
ETIM		
ETIM 9.0	EC001694	
UNSPSC		

44103100



5145384

https://www.phoenixcontact.com/us/products/5145384

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com