


Data sheet | Item number: 2009-113/000-023

WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; green

www.wago.com/2009-113/000-023



Data

Technical Data

Suitable	for WAGO rail-mount terminals blocks
Marking	plain
Marking	plain
Units per delivery form	2,300 WMB markers (3.5 mm)/reel
Marking device	Smart Printer (Thermal Transfer Printer)

Geometrical Data

Marker/Strip width	3,5 mm
Marker width	3.5 mm

Material Data

Color	green
Weight	117.2 g

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Commercial data

Packaging type	bag
Country of origin	DE
GTIN	4055143375733
Customs Tariff No.	4911990000

Counterpart

Compatible products

Marking accessories


	Item no.: 258-5000 Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi	www.wago.com/258-5000
	Item no.: 258-5007 Roller; for Smart Printer; for WMB-Inline WAGO (2009-115, -114, -113); 1 grinding device	www.wago.com/258-5007

Installation Notes

Application



Separating an individual marker from the WMB marker strip – for larger terminal blocks.



Snapping a marking strip into the marker slot.

Marking

Subject to changes. Please also observe the further product documentation!



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.

Product family

WMB Inline

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.