


## Data sheet | Item number: 2009-115/000-017

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm;  
plain; snap-on type; white

[www.wago.com/2009-115/000-017](http://www.wago.com/2009-115/000-017)



### Data

#### Technical Data

Suitable	for WAGO Rail-Mount Terminal Blocks
Marking	plain
Marking	plain
Units per delivery form	1,500 WMB markers (5 mm)/reel
Marking device	Smart Printer (Thermal Transfer Printer)

#### Geometrical Data

Marker/Strip width	5 ... 5,2 mm
Marker width	5 mm

#### Material Data

Color	white
Weight	115.2 g

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Commercial data

Packaging type	bag
Country of origin	DE
GTIN	4055143369237
Customs Tariff No.	4911990000

## Counterpart

## Compatible products

### Marking accessories


	<b>Item no.: 258-5000</b> Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi	<a href="http://www.wago.com/258-5000">www.wago.com/258-5000</a>
	<b>Item no.: 258-5007</b> Roller; for Smart Printer; for WMB-Inline WAGO (2009-115, -114, -113); 1 grinding device	<a href="http://www.wago.com/258-5007">www.wago.com/258-5007</a>

## Installation Notes

### Application



Separating an individual marker from the WMB marker strip – for larger terminal blocks.



Snapping a marking strip into the marker slot.

### Marking

Subject to changes. Please also observe the further product documentation!



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.

## Product family

### WMB Inline

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!