

Data sheet | Item number: 2009-145/000-024

Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet

www.wago.com/2009-145/000-024



Data

Technical Data

Suitable	for WAGO rail-mount terminals blocks
Marking	plain
Marking	plain
Units per delivery form	1,700 Mini-WSB markers (5 mm)/reel
Marking device	Smart Printer (Thermal Transfer Printer)

Geometrical Data

Marker/Strip width	5 ... 5,2 mm
Marker width	5 mm

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Material Data

Color	violet
Weight	99.3 g

Commercial data

Packaging type	bag
Country of origin	DE
GTIN	4055143298001
Customs Tariff No.	491 19900000

Counterpart

Compatible products

Marking accessories

Item no.: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi

www.wago.com/258-5000

Item no.: 258-5008

Roller; for Smart Printer; for Mini-WSB Inline WAGO (2009-145); 1 grinding device

www.wago.com/258-5008

Installation Notes

Marking



Marking via Mini-WSB Quick markers.

Product family

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Mini-WSB

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.