



## Data sheet | Item number: 2020-2237

2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; green-yellow



[www.wago.com/2020-2237](http://www.wago.com/2020-2237)



RoHS  
Compliant ✓

BOMcheck.net

Color:

### Data

#### Electrical data

#### Ratings per IEC/EN 60664-1

Ratings per

IEC/EN 60947-7-2

#### Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross section	1 mm <sup>2</sup>
Solid conductor	0.14 ... 1.5 mm <sup>2</sup> / 24 ... 16 AWG

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Solid conductor, push-in termination	0.5 ... 1.5 mm <sup>2</sup> / 20 ... 16 AWG
Fine-stranded conductor	0.14 ... 1.5 mm <sup>2</sup> / 24 ... 16 AWG
Fine-stranded conductor with ferrule with plastic collar	0.5 ... 0.75 mm <sup>2</sup> / 20 ... 18 AWG
Fine-stranded conductor with ferrule, push-in termination, from	0.5 ... 0.75 mm <sup>2</sup> / 20 ... 18 AWG
Strip length	9 ... 11 mm / 0.35 ... 0.43 inch
Total number of connection points	2
Total number of potentials	1
Number of levels	2
Type of wiring	Front-entry wiring
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.

### Geometrical Data

Width	3.5 mm / 0.138 inch
Height from upper-edge of DIN-35 rail	61.4 mm / 2.417 inch
Depth	80.1 mm / 3.154 inch

### Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Potential marking	PE
Marking level	Side marking

### Material Data

Color	green-yellow
Insulating material	Polyamide 66 (PA 66)
Fire load	0.191 MJ
Weight	11.1 g

### Commercial data

Product Group	18 (X-COM-System)
Packaging type	BOX
Country of origin	CN
GTIN	4050821049609
Customs Tariff No.	85366990990




### Approvals / Certificates

Subject to changes. Please also observe the further product documentation!




WAGO Kontakttechnik GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.


## Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7617
	CSA DEKRA Certification B.V.	C22.2 No. 158	2516073
	KEMA/KEUR DEKRA Certification B.V.	EN 60947	71- 100670

## Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	EN 60947	20- HG1941090- PDA
	BV Bureau Veritas S.A.	EN 60947	38586/A0 BV
	DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
	LR Lloyds Register	EN 60947	91/20112 (E9)

## UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL UL International Germany GmbH	UL 1059	E45172

Subject to changes. Please also observe the further product documentation!

## Counterpart

## Compatible products

## tools

**Item no.: 210-647**

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft

[www.wago.com/210-647](http://www.wago.com/210-647)**Item no.: 210-648**

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft; angled; short

[www.wago.com/210-648](http://www.wago.com/210-648)**Item no.: 210-719**

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft

[www.wago.com/210-719](http://www.wago.com/210-719)

## Jumper

**Item no.: 2000-402**

Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; light gray

[www.wago.com/2000-402](http://www.wago.com/2000-402)**Item no.: 2000-402/000-005**

Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; red

[www.wago.com/2000-402/000-005](http://www.wago.com/2000-402/000-005)**Item no.: 2000-402/000-006**

Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; blue

[www.wago.com/2000-402/000-006](http://www.wago.com/2000-402/000-006)**Item no.: 2000-402/000-018**

Push-in type jumper bar; insulated; 2-way; Nominal current 14 A; yellow-green

[www.wago.com/2000-402/000-018](http://www.wago.com/2000-402/000-018)**Item no.: 2000-403**

Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; light gray

[www.wago.com/2000-403](http://www.wago.com/2000-403)**Item no.: 2000-403/000-005**

Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; red

[www.wago.com/2000-403/000-005](http://www.wago.com/2000-403/000-005)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH &amp; Co. KG

Hansastr. 27













32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

	<b>Item no.: 2000-403/000-006</b> Push-in type jumper bar; insulated; 3-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-403/000-006">www.wago.com/2000-403/000-006</a>
	<b>Item no.: 2000-404</b> Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-404">www.wago.com/2000-404</a>
	<b>Item no.: 2000-404/000-005</b> Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-404/000-005">www.wago.com/2000-404/000-005</a>
	<b>Item no.: 2000-404/000-006</b> Push-in type jumper bar; insulated; 4-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-404/000-006">www.wago.com/2000-404/000-006</a>
	<b>Item no.: 2000-405</b> Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-405">www.wago.com/2000-405</a>
	<b>Item no.: 2000-405/000-005</b> Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-405/000-005">www.wago.com/2000-405/000-005</a>
	<b>Item no.: 2000-405/000-006</b> Push-in type jumper bar; insulated; 5-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-405/000-006">www.wago.com/2000-405/000-006</a>
	<b>Item no.: 2000-405/011-000</b> Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	<a href="http://www.wago.com/2000-405/011-000">www.wago.com/2000-405/011-000</a>
	<b>Item no.: 2000-406</b> Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-406">www.wago.com/2000-406</a>
	<b>Item no.: 2000-406/000-005</b> Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-406/000-005">www.wago.com/2000-406/000-005</a>
	<b>Item no.: 2000-406/000-006</b> Push-in type jumper bar; insulated; 6-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-406/000-006">www.wago.com/2000-406/000-006</a>
	<b>Item no.: 2000-406/020-000</b> Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray	<a href="http://www.wago.com/2000-406/020-000">www.wago.com/2000-406/020-000</a>
	<b>Item no.: 2000-407</b> Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-407">www.wago.com/2000-407</a>
	<b>Item no.: 2000-407/000-005</b> Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-407/000-005">www.wago.com/2000-407/000-005</a>
	<b>Item no.: 2000-407/000-006</b> Push-in type jumper bar; insulated; 7-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-407/000-006">www.wago.com/2000-407/000-006</a>

Subject to changes. Please also observe the further product documentation!



<b>Item no.: 2000-408</b> Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-408">www.wago.com/2000-408</a>
--	--

<b>Item no.: 2000-408/000-005</b> Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-408/000-005">www.wago.com/2000-408/000-005</a>
---	--

<b>Item no.: 2000-408/000-006</b> Push-in type jumper bar; insulated; 8-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-408/000-006">www.wago.com/2000-408/000-006</a>
--	--

<b>Item no.: 2000-409</b> Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-409">www.wago.com/2000-409</a>
--	--

<b>Item no.: 2000-409/000-005</b> Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-409/000-005">www.wago.com/2000-409/000-005</a>
---	--

<b>Item no.: 2000-409/000-006</b> Push-in type jumper bar; insulated; 9-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-409/000-006">www.wago.com/2000-409/000-006</a>
--	--



<b>Item no.: 2000-410</b> Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-410">www.wago.com/2000-410</a>
---	--



<b>Item no.: 2000-410/000-005</b> Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; red	<a href="http://www.wago.com/2000-410/000-005">www.wago.com/2000-410/000-005</a>
--	--



<b>Item no.: 2000-410/000-006</b> Push-in type jumper bar; insulated; 10-way; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-410/000-006">www.wago.com/2000-410/000-006</a>
---	--

<b>Item no.: 2000-433</b> Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-433">www.wago.com/2000-433</a>
--	--





<b>Item no.: 2000-433/000-005</b> Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; red	<a href="http://www.wago.com/2000-433/000-005">www.wago.com/2000-433/000-005</a>
---	--

<b>Item no.: 2000-433/000-006</b> Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A; blue	<a href="http://www.wago.com/2000-433/000-006">www.wago.com/2000-433/000-006</a>
--	--

<b>Item no.: 2000-434</b> Push-in type jumper bar; insulated; from 1 to 4; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-434">www.wago.com/2000-434</a>
--	--

<b>Item no.: 2000-435</b> Push-in type jumper bar; insulated; from 1 to 5; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-435">www.wago.com/2000-435</a>
--	--







Subject to changes. Please also observe the further product documentation!

<b>Item no.: 2000-436</b> Push-in type jumper bar; insulated; from 1 to 6; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-436">www.wago.com/2000-436</a>
<b>Item no.: 2000-437</b> Push-in type jumper bar; insulated; from 1 to 7; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-437">www.wago.com/2000-437</a>
<b>Item no.: 2000-438</b> Push-in type jumper bar; insulated; from 1 to 8; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-438">www.wago.com/2000-438</a>
<b>Item no.: 2000-439</b> Push-in type jumper bar; insulated; from 1 to 9; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-439">www.wago.com/2000-439</a>
<b>Item no.: 2000-440</b> Push-in type jumper bar; insulated; from 1 to 10; Nominal current 14 A; light gray	<a href="http://www.wago.com/2000-440">www.wago.com/2000-440</a>
<b>Item no.: 2000-492</b> Double-deck vertical jumper; insulated; light gray	<a href="http://www.wago.com/2000-492">www.wago.com/2000-492</a>
<b>Item no.: 2002-492/000-012</b> Double-deck vertical jumper; insulated; orange	<a href="http://www.wago.com/2002-492/000-012">www.wago.com/2002-492/000-012</a>
 <b>Item no.: 210-103</b> Wire commoning chain; insulated; 50 connections; black	<a href="http://www.wago.com/210-103">www.wago.com/210-103</a>
 <b>Item no.: 210-123</b> Wire commoning chain; insulated; 50 connections	<a href="http://www.wago.com/210-123">www.wago.com/210-123</a>
<b>End plate</b>	
<b>Item no.: 2020-2291</b> End and intermediate plate; 1 mm thick; gray	<a href="http://www.wago.com/2020-2291">www.wago.com/2020-2291</a>
<b>Item no.: 2020-2292</b> End and intermediate plate; 1 mm thick; orange	<a href="http://www.wago.com/2020-2292">www.wago.com/2020-2292</a>
<b>General accessories</b>	
 <b>Item no.: 2020-161</b> Start module for 1-conductor female connector; with integrated end plate; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-161">www.wago.com/2020-161</a>
 <b>Item no.: 2020-164</b> Start module for 1-conductor female connector; with integrated end plate; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2020-164">www.wago.com/2020-164</a>
<b>Item no.: 2020-167</b> Start module for 1-conductor female connector; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2020-167">www.wago.com/2020-167</a>
<b>Item no.: 2020-181</b> End module for 1-conductor female connector; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-181">www.wago.com/2020-181</a>
<b>Item no.: 2020-184</b> End module for 1-conductor female connector; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2020-184">www.wago.com/2020-184</a>
<b>Item no.: 2020-187</b> End module for 1-conductor female connector; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2020-187">www.wago.com/2020-187</a>

Subject to changes. Please also observe the further product documentation!

<b>Item no.: 2020-261</b> Start module for 2-conductor female connector; with integrated end plate; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-261">www.wago.com/2020-261</a>
<b>Item no.: 2020-264</b> Start module for 2-conductor female connector; with integrated end plate; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2020-264">www.wago.com/2020-264</a>
<b>Item no.: 2020-267</b> Start module for 2-conductor female connector; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2020-267">www.wago.com/2020-267</a>
<b>Item no.: 2020-281</b> End module for 2-conductor female connector; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-281">www.wago.com/2020-281</a>
<b>Item no.: 2020-284</b> End module for 2-conductor female connector; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2020-284">www.wago.com/2020-284</a>
<b>Item no.: 2020-287</b> End module for 2-conductor female connector; 1.5 mm <sup>2</sup> ; 1-pole; 1,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2020-287">www.wago.com/2020-287</a>

**Marking accessories**

<b>Item no.: 2009-110</b> Marking strips; on reel; not stretchable; plain; snap-on type; white	<a href="http://www.wago.com/2009-110">www.wago.com/2009-110</a>
 <b>Item no.: 2009-113</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; white	<a href="http://www.wago.com/2009-113">www.wago.com/2009-113</a>
 <b>Item no.: 2009-113/000-002</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; yellow	<a href="http://www.wago.com/2009-113/000-002">www.wago.com/2009-113/000-002</a>
 <b>Item no.: 2009-113/000-005</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; red	<a href="http://www.wago.com/2009-113/000-005">www.wago.com/2009-113/000-005</a>
<b>Item no.: 2009-113/000-006</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; blue	<a href="http://www.wago.com/2009-113/000-006">www.wago.com/2009-113/000-006</a>
 <b>Item no.: 2009-113/000-007</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; gray	<a href="http://www.wago.com/2009-113/000-007">www.wago.com/2009-113/000-007</a>
 <b>Item no.: 2009-113/000-012</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; orange	<a href="http://www.wago.com/2009-113/000-012">www.wago.com/2009-113/000-012</a>
<b>Item no.: 2009-113/000-017</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; light green	<a href="http://www.wago.com/2009-113/000-017">www.wago.com/2009-113/000-017</a>
 <b>Item no.: 2009-113/000-023</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; green	<a href="http://www.wago.com/2009-113/000-023">www.wago.com/2009-113/000-023</a>

Subject to changes. Please also observe the further product documentation!



**Item no.: 2009-113/000-024**

WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; violet

[www.wago.com/2009-113/000-024](http://www.wago.com/2009-113/000-024)**Item no.: 793-3501**

WMB marking card; as card; plain; snap-on type; white

[www.wago.com/793-3501](http://www.wago.com/793-3501)**ferrule****Item no.: 216-241**Ferrule; Sleeve for 0.5 mm<sup>2</sup> / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white[www.wago.com/216-241](http://www.wago.com/216-241)**Item no.: 216-242**Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray[www.wago.com/216-242](http://www.wago.com/216-242)**Item no.: 216-243**Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red[www.wago.com/216-243](http://www.wago.com/216-243)**Protective Warning Marker****Item no.: 2000-115**

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

[www.wago.com/2000-115](http://www.wago.com/2000-115)**Coding****Item no.: 2020-100**

Carrier with 6 coding pins; for coding of female plugs; for carrier terminal blocks; orange

[www.wago.com/2020-100](http://www.wago.com/2020-100)**Carrier rail****Item no.: 210-112**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

[www.wago.com/210-112](http://www.wago.com/210-112)**Item no.: 210-113**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

[www.wago.com/210-113](http://www.wago.com/210-113)**Item no.: 210-114**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

[www.wago.com/210-114](http://www.wago.com/210-114)**Item no.: 210-115**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

[www.wago.com/210-115](http://www.wago.com/210-115)**Item no.: 210-118**

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

[www.wago.com/210-118](http://www.wago.com/210-118)**Item no.: 210-162**

Steel carrier rail; 35 x 7.5 mm; slotted; 1 mm thick

[www.wago.com/210-162](http://www.wago.com/210-162)**Item no.: 210-196**

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored

[www.wago.com/210-196](http://www.wago.com/210-196)**Item no.: 210-197**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

[www.wago.com/210-197](http://www.wago.com/210-197)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 210-198**

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored

[www.wago.com/210-198](http://www.wago.com/210-198)**Push-In type wire jumper****Item no.: 2009-402**Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 0.75 mm<sup>2</sup>; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray[www.wago.com/2009-402](http://www.wago.com/2009-402)**Item no.: 2009-404**Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 0.75 mm<sup>2</sup>; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray[www.wago.com/2009-404](http://www.wago.com/2009-404)**Item no.: 2009-406**Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 0.75 mm<sup>2</sup>; suitable for 2000 and 2020 Series rail-mounted terminal blocks; gray[www.wago.com/2009-406](http://www.wago.com/2009-406)**Test Accessories****Item no.: 859-500**

Test pin; 1 mm Ø; with solder connection for test wire

[www.wago.com/859-500](http://www.wago.com/859-500)**Female plug****Item no.: 2020-102**1-conductor female plug; 1.5 mm<sup>2</sup>; 2-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-102](http://www.wago.com/2020-102)**Item no.: 2020-102/122-000**1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 2-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-102/122-000](http://www.wago.com/2020-102/122-000)**Item no.: 2020-102/132-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 2-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-102/132-000](http://www.wago.com/2020-102/132-000)**Item no.: 2020-102/142-000**1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 2-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-102/142-000](http://www.wago.com/2020-102/142-000)**Item no.: 2020-103**1-conductor female plug; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-103](http://www.wago.com/2020-103)**Item no.: 2020-103/000-036**1-conductor female plug; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2020-103/000-036](http://www.wago.com/2020-103/000-036)**Item no.: 2020-103/000-037**1-conductor female plug; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2020-103/000-037](http://www.wago.com/2020-103/000-037)**Item no.: 2020-103/000-038**1-conductor female plug; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2020-103/000-038](http://www.wago.com/2020-103/000-038)**Item no.: 2020-103/000-039**1-conductor female plug; 1.5 mm<sup>2</sup>; 3-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-103/000-039](http://www.wago.com/2020-103/000-039)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH &amp; Co. KG

Hansastr. 27






32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169











Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

	<b>Item no.: 2020-103/122-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103/122-000">www.wago.com/2020-103/122-000</a>
	<b>Item no.: 2020-103/132-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103/132-000">www.wago.com/2020-103/132-000</a>
	<b>Item no.: 2020-103/142-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-103/142-000">www.wago.com/2020-103/142-000</a>
	<b>Item no.: 2020-104</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104">www.wago.com/2020-104</a>
	<b>Item no.: 2020-104/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-104/000-036">www.wago.com/2020-104/000-036</a>
	<b>Item no.: 2020-104/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-104/000-037">www.wago.com/2020-104/000-037</a>
	<b>Item no.: 2020-104/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-104/000-038">www.wago.com/2020-104/000-038</a>
	<b>Item no.: 2020-104/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-104/000-039">www.wago.com/2020-104/000-039</a>
	<b>Item no.: 2020-104/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104/124-000">www.wago.com/2020-104/124-000</a>
	<b>Item no.: 2020-104/133-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104/133-000">www.wago.com/2020-104/133-000</a>
	<b>Item no.: 2020-104/143-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-104/143-000">www.wago.com/2020-104/143-000</a>
	<b>Item no.: 2020-105</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105">www.wago.com/2020-105</a>
	<b>Item no.: 2020-105/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-105/000-036">www.wago.com/2020-105/000-036</a>
	<b>Item no.: 2020-105/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-105/000-037">www.wago.com/2020-105/000-037</a>

Subject to changes. Please also observe the further product documentation!

	<b>Item no.: 2020-105/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-105/000-038">www.wago.com/2020-105/000-038</a>
	<b>Item no.: 2020-105/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-105/000-039">www.wago.com/2020-105/000-039</a>
	<b>Item no.: 2020-105/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105/124-000">www.wago.com/2020-105/124-000</a>
	<b>Item no.: 2020-105/133-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105/133-000">www.wago.com/2020-105/133-000</a>
	<b>Item no.: 2020-105/143-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-105/143-000">www.wago.com/2020-105/143-000</a>
	<b>Item no.: 2020-106</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-106">www.wago.com/2020-106</a>
	<b>Item no.: 2020-106/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-106/000-036">www.wago.com/2020-106/000-036</a>
	<b>Item no.: 2020-106/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-106/000-037">www.wago.com/2020-106/000-037</a>
	<b>Item no.: 2020-106/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-106/000-038">www.wago.com/2020-106/000-038</a>
	<b>Item no.: 2020-106/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-106/000-039">www.wago.com/2020-106/000-039</a>
	<b>Item no.: 2020-106/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-106/124-000">www.wago.com/2020-106/124-000</a>
	<b>Item no.: 2020-106/133-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-106/133-000">www.wago.com/2020-106/133-000</a>
	<b>Item no.: 2020-106/143-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-106/143-000">www.wago.com/2020-106/143-000</a>
	<b>Item no.: 2020-107</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-107">www.wago.com/2020-107</a>

Subject to changes. Please also observe the further product documentation!



**Item no.: 2020-107/000-036**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-107/000-036](http://www.wago.com/2020-107/000-036)



**Item no.: 2020-107/000-037**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-107/000-037](http://www.wago.com/2020-107/000-037)

**Item no.: 2020-107/000-038**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-107/000-038](http://www.wago.com/2020-107/000-038)

**Item no.: 2020-107/000-039**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-107/000-039](http://www.wago.com/2020-107/000-039)

**Item no.: 2020-107/124-000**  
1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-107/124-000](http://www.wago.com/2020-107/124-000)

**Item no.: 2020-107/134-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-107/134-000](http://www.wago.com/2020-107/134-000)

**Item no.: 2020-107/144-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-107/144-000](http://www.wago.com/2020-107/144-000)

**Item no.: 2020-108**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-108](http://www.wago.com/2020-108)

**Item no.: 2020-108/000-036**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-108/000-036](http://www.wago.com/2020-108/000-036)

**Item no.: 2020-108/000-037**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-108/000-037](http://www.wago.com/2020-108/000-037)

**Item no.: 2020-108/000-038**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-108/000-038](http://www.wago.com/2020-108/000-038)












**Item no.: 2020-108/000-039**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-108/000-039](http://www.wago.com/2020-108/000-039)

**Item no.: 2020-108/124-000**  
1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-108/124-000](http://www.wago.com/2020-108/124-000)

Subject to changes. Please also observe the further product documentation!

	<p><b>Item no.: 2020-108/134-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray</p>	<p><a href="http://www.wago.com/2020-108/134-000">www.wago.com/2020-108/134-000</a></p>
	<p><b>Item no.: 2020-108/144-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray</p>	<p><a href="http://www.wago.com/2020-108/144-000">www.wago.com/2020-108/144-000</a></p>
	<p><b>Item no.: 2020-109</b> 1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray</p>	<p><a href="http://www.wago.com/2020-109">www.wago.com/2020-109</a></p>
	<p><b>Item no.: 2020-109/000-036</b> 1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray, green-yellow</p>	<p><a href="http://www.wago.com/2020-109/000-036">www.wago.com/2020-109/000-036</a></p>
	<p><b>Item no.: 2020-109/000-037</b> 1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; green-yellow, gray</p>	<p><a href="http://www.wago.com/2020-109/000-037">www.wago.com/2020-109/000-037</a></p>
	<p><b>Item no.: 2020-109/000-038</b> 1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow</p>	<p><a href="http://www.wago.com/2020-109/000-038">www.wago.com/2020-109/000-038</a></p>
	<p><b>Item no.: 2020-109/000-039</b> 1-conductor female plug; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray</p>	<p><a href="http://www.wago.com/2020-109/000-039">www.wago.com/2020-109/000-039</a></p>
	<p><b>Item no.: 2020-109/124-000</b> 1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray</p>	<p><a href="http://www.wago.com/2020-109/124-000">www.wago.com/2020-109/124-000</a></p>
	<p><b>Item no.: 2020-109/134-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray</p>	<p><a href="http://www.wago.com/2020-109/134-000">www.wago.com/2020-109/134-000</a></p>
	<p><b>Item no.: 2020-109/144-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray</p>	<p><a href="http://www.wago.com/2020-109/144-000">www.wago.com/2020-109/144-000</a></p>
	<p><b>Item no.: 2020-110</b> 1-conductor female plug; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray</p>	<p><a href="http://www.wago.com/2020-110">www.wago.com/2020-110</a></p>
	<p><b>Item no.: 2020-110/000-036</b> 1-conductor female plug; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray, green-yellow</p>	<p><a href="http://www.wago.com/2020-110/000-036">www.wago.com/2020-110/000-036</a></p>
	<p><b>Item no.: 2020-110/000-037</b> 1-conductor female plug; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; green-yellow, gray</p>	<p><a href="http://www.wago.com/2020-110/000-037">www.wago.com/2020-110/000-037</a></p>
	<p><b>Item no.: 2020-110/000-038</b> 1-conductor female plug; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow</p>	<p><a href="http://www.wago.com/2020-110/000-038">www.wago.com/2020-110/000-038</a></p>

Subject to changes. Please also observe the further product documentation!



**Item no.: 2020-110/000-039**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-110/000-039](http://www.wago.com/2020-110/000-039)

**Item no.: 2020-110/125-000**  
1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-110/125-000](http://www.wago.com/2020-110/125-000)

**Item no.: 2020-110/135-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-110/135-000](http://www.wago.com/2020-110/135-000)

**Item no.: 2020-110/145-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-110/145-000](http://www.wago.com/2020-110/145-000)



**Item no.: 2020-111**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-111](http://www.wago.com/2020-111)



**Item no.: 2020-111/000-036**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-111/000-036](http://www.wago.com/2020-111/000-036)



**Item no.: 2020-111/000-037**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-111/000-037](http://www.wago.com/2020-111/000-037)



**Item no.: 2020-111/000-038**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-111/000-038](http://www.wago.com/2020-111/000-038)



**Item no.: 2020-111/000-039**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-111/000-039](http://www.wago.com/2020-111/000-039)

**Item no.: 2020-111/125-000**  
1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-111/125-000](http://www.wago.com/2020-111/125-000)

**Item no.: 2020-111/135-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-111/135-000](http://www.wago.com/2020-111/135-000)

**Item no.: 2020-111/145-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 11-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-111/145-000](http://www.wago.com/2020-111/145-000)



**Item no.: 2020-112**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-112](http://www.wago.com/2020-112)



**Item no.: 2020-112/000-036**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-112/000-036](http://www.wago.com/2020-112/000-036)

Subject to changes. Please also observe the further product documentation!



**Item no.: 2020-112/000-037**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-112/000-037](http://www.wago.com/2020-112/000-037)



**Item no.: 2020-112/000-038**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-112/000-038](http://www.wago.com/2020-112/000-038)



**Item no.: 2020-112/000-039**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-112/000-039](http://www.wago.com/2020-112/000-039)

**Item no.: 2020-112/125-000**  
1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-112/125-000](http://www.wago.com/2020-112/125-000)

**Item no.: 2020-112/135-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-112/135-000](http://www.wago.com/2020-112/135-000)

**Item no.: 2020-112/145-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 12-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-112/145-000](http://www.wago.com/2020-112/145-000)



**Item no.: 2020-113**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-113](http://www.wago.com/2020-113)



**Item no.: 2020-113/000-036**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-113/000-036](http://www.wago.com/2020-113/000-036)



**Item no.: 2020-113/000-037**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-113/000-037](http://www.wago.com/2020-113/000-037)



**Item no.: 2020-113/000-038**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-113/000-038](http://www.wago.com/2020-113/000-038)



**Item no.: 2020-113/000-039**  
1-conductor female plug; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-113/000-039](http://www.wago.com/2020-113/000-039)

**Item no.: 2020-113/125-000**  
1-conductor female plug; Locking lever; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-113/125-000](http://www.wago.com/2020-113/125-000)

**Item no.: 2020-113/135-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray











[www.wago.com/2020-113/135-000](http://www.wago.com/2020-113/135-000)

**Item no.: 2020-113/145-000**  
1-conductor female plug; Strain relief plate; 1.5 mm<sup>2</sup>; 13-pole; 1,50 mm<sup>2</sup>; gray







[www.wago.com/2020-113/145-000](http://www.wago.com/2020-113/145-000)

Subject to changes. Please also observe the further product documentation!













	<b>Item no.: 2020-114</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-114">www.wago.com/2020-114</a>
	<b>Item no.: 2020-114/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-114/000-036">www.wago.com/2020-114/000-036</a>
	<b>Item no.: 2020-114/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-114/000-037">www.wago.com/2020-114/000-037</a>
	<b>Item no.: 2020-114/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-114/000-038">www.wago.com/2020-114/000-038</a>
	<b>Item no.: 2020-114/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-114/000-039">www.wago.com/2020-114/000-039</a>
	<b>Item no.: 2020-114/125-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-114/125-000">www.wago.com/2020-114/125-000</a>
	<b>Item no.: 2020-114/135-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-114/135-000">www.wago.com/2020-114/135-000</a>
	<b>Item no.: 2020-114/145-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-114/145-000">www.wago.com/2020-114/145-000</a>
	<b>Item no.: 2020-115</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-115">www.wago.com/2020-115</a>
	<b>Item no.: 2020-115/000-036</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-115/000-036">www.wago.com/2020-115/000-036</a>
	<b>Item no.: 2020-115/000-037</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-115/000-037">www.wago.com/2020-115/000-037</a>
	<b>Item no.: 2020-115/000-038</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-115/000-038">www.wago.com/2020-115/000-038</a>
	<b>Item no.: 2020-115/000-039</b> 1-conductor female plug; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-115/000-039">www.wago.com/2020-115/000-039</a>
	<b>Item no.: 2020-115/125-000</b> 1-conductor female plug; Locking lever; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-115/125-000">www.wago.com/2020-115/125-000</a>

Subject to changes. Please also observe the further product documentation!












	<b>Item no.: 2020-115/135-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-115/135-000">www.wago.com/2020-115/135-000</a>
	<b>Item no.: 2020-115/145-000</b> 1-conductor female plug; Strain relief plate; 1.5 mm <sup>2</sup> ; 15-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-115/145-000">www.wago.com/2020-115/145-000</a>
	<b>Item no.: 2020-202</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-202">www.wago.com/2020-202</a>
	<b>Item no.: 2020-202/122-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-202/122-000">www.wago.com/2020-202/122-000</a>
	<b>Item no.: 2020-202/132-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-202/132-000">www.wago.com/2020-202/132-000</a>
	<b>Item no.: 2020-202/142-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 2-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-202/142-000">www.wago.com/2020-202/142-000</a>
	<b>Item no.: 2020-203</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-203">www.wago.com/2020-203</a>
	<b>Item no.: 2020-203/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-203/000-036">www.wago.com/2020-203/000-036</a>
	<b>Item no.: 2020-203/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-203/000-037">www.wago.com/2020-203/000-037</a>
	<b>Item no.: 2020-203/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-203/000-038">www.wago.com/2020-203/000-038</a>
	<b>Item no.: 2020-203/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-203/000-039">www.wago.com/2020-203/000-039</a>
	<b>Item no.: 2020-203/122-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-203/122-000">www.wago.com/2020-203/122-000</a>
	<b>Item no.: 2020-203/132-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-203/132-000">www.wago.com/2020-203/132-000</a>
	<b>Item no.: 2020-203/142-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 3-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-203/142-000">www.wago.com/2020-203/142-000</a>

Subject to changes. Please also observe the further product documentation!

	<b>Item no.: 2020-204</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-204">www.wago.com/2020-204</a>
	<b>Item no.: 2020-204/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-204/000-036">www.wago.com/2020-204/000-036</a>
	<b>Item no.: 2020-204/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-204/000-037">www.wago.com/2020-204/000-037</a>
	<b>Item no.: 2020-204/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-204/000-038">www.wago.com/2020-204/000-038</a>
	<b>Item no.: 2020-204/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-204/000-039">www.wago.com/2020-204/000-039</a>
	<b>Item no.: 2020-204/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-204/124-000">www.wago.com/2020-204/124-000</a>
	<b>Item no.: 2020-204/133-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-204/133-000">www.wago.com/2020-204/133-000</a>
	<b>Item no.: 2020-204/143-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 4-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-204/143-000">www.wago.com/2020-204/143-000</a>
	<b>Item no.: 2020-205</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205">www.wago.com/2020-205</a>
	<b>Item no.: 2020-205/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-205/000-036">www.wago.com/2020-205/000-036</a>
	<b>Item no.: 2020-205/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-205/000-037">www.wago.com/2020-205/000-037</a>
	<b>Item no.: 2020-205/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-205/000-038">www.wago.com/2020-205/000-038</a>
	<b>Item no.: 2020-205/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-205/000-039">www.wago.com/2020-205/000-039</a>
	<b>Item no.: 2020-205/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205/124-000">www.wago.com/2020-205/124-000</a>

Subject to changes. Please also observe the further product documentation!



	<b>Item no.: 2020-205/133-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205/133-000">www.wago.com/2020-205/133-000</a>
	<b>Item no.: 2020-205/143-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 5-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-205/143-000">www.wago.com/2020-205/143-000</a>
	<b>Item no.: 2020-206</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206">www.wago.com/2020-206</a>
	<b>Item no.: 2020-206/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-206/000-036">www.wago.com/2020-206/000-036</a>
	<b>Item no.: 2020-206/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-206/000-037">www.wago.com/2020-206/000-037</a>
	<b>Item no.: 2020-206/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-206/000-038">www.wago.com/2020-206/000-038</a>
	<b>Item no.: 2020-206/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-206/000-039">www.wago.com/2020-206/000-039</a>
	<b>Item no.: 2020-206/124-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206/124-000">www.wago.com/2020-206/124-000</a>
	<b>Item no.: 2020-206/133-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206/133-000">www.wago.com/2020-206/133-000</a>
	<b>Item no.: 2020-206/143-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 6-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-206/143-000">www.wago.com/2020-206/143-000</a>
	<b>Item no.: 2020-207</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-207">www.wago.com/2020-207</a>
	<b>Item no.: 2020-207/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-207/000-036">www.wago.com/2020-207/000-036</a>
	<b>Item no.: 2020-207/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 7-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-207/000-037">www.wago.com/2020-207/000-037</a>

Subject to changes. Please also observe the further product documentation!



**Item no.: 2020-207/000-038**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-207/000-038](http://www.wago.com/2020-207/000-038)



**Item no.: 2020-207/000-039**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-207/000-039](http://www.wago.com/2020-207/000-039)

**Item no.: 2020-207/124-000**  
2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-207/124-000](http://www.wago.com/2020-207/124-000)

**Item no.: 2020-207/134-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-207/134-000](http://www.wago.com/2020-207/134-000)

**Item no.: 2020-207/144-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 7-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-207/144-000](http://www.wago.com/2020-207/144-000)



**Item no.: 2020-208**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-208](http://www.wago.com/2020-208)



**Item no.: 2020-208/000-036**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-208/000-036](http://www.wago.com/2020-208/000-036)



**Item no.: 2020-208/000-037**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-208/000-037](http://www.wago.com/2020-208/000-037)



**Item no.: 2020-208/000-038**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-208/000-038](http://www.wago.com/2020-208/000-038)



**Item no.: 2020-208/000-039**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-208/000-039](http://www.wago.com/2020-208/000-039)

**Item no.: 2020-208/124-000**  
2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-208/124-000](http://www.wago.com/2020-208/124-000)

**Item no.: 2020-208/134-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-208/134-000](http://www.wago.com/2020-208/134-000)

**Item no.: 2020-208/144-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 8-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-208/144-000](http://www.wago.com/2020-208/144-000)



**Item no.: 2020-209**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-209](http://www.wago.com/2020-209)

Subject to changes. Please also observe the further product documentation!



**Item no.: 2020-209/000-036**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-209/000-036](http://www.wago.com/2020-209/000-036)



**Item no.: 2020-209/000-037**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-209/000-037](http://www.wago.com/2020-209/000-037)



**Item no.: 2020-209/000-038**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-209/000-038](http://www.wago.com/2020-209/000-038)



**Item no.: 2020-209/000-039**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-209/000-039](http://www.wago.com/2020-209/000-039)

**Item no.: 2020-209/124-000**  
2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-209/124-000](http://www.wago.com/2020-209/124-000)

**Item no.: 2020-209/134-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-209/134-000](http://www.wago.com/2020-209/134-000)

**Item no.: 2020-209/144-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 9-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-209/144-000](http://www.wago.com/2020-209/144-000)



**Item no.: 2020-210**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-210](http://www.wago.com/2020-210)



**Item no.: 2020-210/000-036**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/2020-210/000-036](http://www.wago.com/2020-210/000-036)



**Item no.: 2020-210/000-037**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/2020-210/000-037](http://www.wago.com/2020-210/000-037)



**Item no.: 2020-210/000-038**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/2020-210/000-038](http://www.wago.com/2020-210/000-038)



**Item no.: 2020-210/000-039**  
2-conductor female connector; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/2020-210/000-039](http://www.wago.com/2020-210/000-039)











**Item no.: 2020-210/125-000**  
2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-210/125-000](http://www.wago.com/2020-210/125-000)









**Item no.: 2020-210/135-000**  
2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 10-pole; 1,50 mm<sup>2</sup>; gray

[www.wago.com/2020-210/135-000](http://www.wago.com/2020-210/135-000)

Subject to changes. Please also observe the further product documentation!

	<b>Item no.: 2020-210/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 10-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-210/145-000">www.wago.com/2020-210/145-000</a>
	<b>Item no.: 2020-211</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-211">www.wago.com/2020-211</a>
	<b>Item no.: 2020-211/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-211/000-036">www.wago.com/2020-211/000-036</a>
	<b>Item no.: 2020-211/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-211/000-037">www.wago.com/2020-211/000-037</a>
	<b>Item no.: 2020-211/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-211/000-038">www.wago.com/2020-211/000-038</a>
	<b>Item no.: 2020-211/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-211/000-039">www.wago.com/2020-211/000-039</a>
	<b>Item no.: 2020-211/125-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-211/125-000">www.wago.com/2020-211/125-000</a>
	<b>Item no.: 2020-211/135-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-211/135-000">www.wago.com/2020-211/135-000</a>
	<b>Item no.: 2020-211/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 11-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-211/145-000">www.wago.com/2020-211/145-000</a>
	<b>Item no.: 2020-212</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-212">www.wago.com/2020-212</a>
	<b>Item no.: 2020-212/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-212/000-036">www.wago.com/2020-212/000-036</a>
	<b>Item no.: 2020-212/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-212/000-037">www.wago.com/2020-212/000-037</a>
	<b>Item no.: 2020-212/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-212/000-038">www.wago.com/2020-212/000-038</a>
	<b>Item no.: 2020-212/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-212/000-039">www.wago.com/2020-212/000-039</a>

Subject to changes. Please also observe the further product documentation!

	<b>Item no.: 2020-212/125-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-212/125-000">www.wago.com/2020-212/125-000</a>
	<b>Item no.: 2020-212/135-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-212/135-000">www.wago.com/2020-212/135-000</a>
	<b>Item no.: 2020-212/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 12-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-212/145-000">www.wago.com/2020-212/145-000</a>
	<b>Item no.: 2020-213</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-213">www.wago.com/2020-213</a>
	<b>Item no.: 2020-213/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-213/000-036">www.wago.com/2020-213/000-036</a>
	<b>Item no.: 2020-213/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-213/000-037">www.wago.com/2020-213/000-037</a>
	<b>Item no.: 2020-213/000-038</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/2020-213/000-038">www.wago.com/2020-213/000-038</a>
	<b>Item no.: 2020-213/000-039</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/2020-213/000-039">www.wago.com/2020-213/000-039</a>
	<b>Item no.: 2020-213/125-000</b> 2-conductor female connector; Locking lever; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-213/125-000">www.wago.com/2020-213/125-000</a>
	<b>Item no.: 2020-213/135-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-213/135-000">www.wago.com/2020-213/135-000</a>
	<b>Item no.: 2020-213/145-000</b> 2-conductor female connector; Strain relief plate; 1.5 mm <sup>2</sup> ; 13-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-213/145-000">www.wago.com/2020-213/145-000</a>
	<b>Item no.: 2020-214</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2020-214">www.wago.com/2020-214</a>
	<b>Item no.: 2020-214/000-036</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/2020-214/000-036">www.wago.com/2020-214/000-036</a>
	<b>Item no.: 2020-214/000-037</b> 2-conductor female connector; 1.5 mm <sup>2</sup> ; 14-pole; 1,50 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/2020-214/000-037">www.wago.com/2020-214/000-037</a>

Subject to changes. Please also observe the further product documentation!



**Item no.: 2020-214/000-038**2-conductor female connector; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2020-214/000-038](http://www.wago.com/2020-214/000-038)**Item no.: 2020-214/000-039**2-conductor female connector; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-214/000-039](http://www.wago.com/2020-214/000-039)**Item no.: 2020-214/125-000**2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-214/125-000](http://www.wago.com/2020-214/125-000)**Item no.: 2020-214/135-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-214/135-000](http://www.wago.com/2020-214/135-000)**Item no.: 2020-214/145-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 14-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-214/145-000](http://www.wago.com/2020-214/145-000)**Item no.: 2020-215**2-conductor female connector; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-215](http://www.wago.com/2020-215)**Item no.: 2020-215/000-036**2-conductor female connector; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray, green-yellow[www.wago.com/2020-215/000-036](http://www.wago.com/2020-215/000-036)**Item no.: 2020-215/000-037**2-conductor female connector; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; green-yellow, gray[www.wago.com/2020-215/000-037](http://www.wago.com/2020-215/000-037)**Item no.: 2020-215/000-038**2-conductor female connector; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/2020-215/000-038](http://www.wago.com/2020-215/000-038)**Item no.: 2020-215/000-039**2-conductor female connector; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/2020-215/000-039](http://www.wago.com/2020-215/000-039)**Item no.: 2020-215/125-000**2-conductor female connector; Locking lever; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-215/125-000](http://www.wago.com/2020-215/125-000)**Item no.: 2020-215/135-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-215/135-000](http://www.wago.com/2020-215/135-000)**Item no.: 2020-215/145-000**2-conductor female connector; Strain relief plate; 1.5 mm<sup>2</sup>; 15-pole; 1,50 mm<sup>2</sup>; gray[www.wago.com/2020-215/145-000](http://www.wago.com/2020-215/145-000)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

**Downloads**  
**Documentation**

**Additional Information**

Technical explanations	Apr 3, 2019	pdf 2.1 MB	Download
------------------------	-------------	---------------	----------

**CAD/CAE-Data**

**CAD data**

2D/3D Models 2020-2237	URL	Download
------------------------	-----	----------


**CAE data**

EPLAN Data Portal 2020-2237	URL	Download
-----------------------------	-----	----------

WSCAD Universe 2020-2237	URL	Download
--------------------------	-----	----------

**Installation Notes**


**Coding**



Insert coding pin into the corresponding slot and twist it off.




Coding a female plug: remove coding finger using a suitable tool.



Insert coded female connector into X-COM®S-SYSTEM terminal block assembly.


Subject to changes. Please also observe the further product documentation!




1-conductor female plug

Double-deck carrier terminal blocks can be commoned via 2000 Series Push-In Type Jumper Bars and tested via 859-500 Test Pin.


### Marking



Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)



Marker carrier (2009-198)

### Product family

X-COM S-Mini

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!