


Data sheet | Item number: 2022-2208

2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; L; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; Push-in CAGE CLAMP®; 2,50 mm²; gray

www.wago.com/2022-2208



RoHS Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color: ■

Data

Electrical data

Ratings per IEC/EN 60664-1

| Ratings per | IEC/EN 60947-7-1 |
|---------------------------------|---|
| Rated voltage (III / 3) | 690 V |
| Rated impulse voltage (III / 3) | 6 kV |
| Rated current | 24 A |
| Rated current (2) | 28 A |
| Legend (ratings) | (III / 3) ≙ Overvoltage category III / Pollution degree 3 |

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection data

| | |
|---|---|
| Connection technology | Push-in CAGE CLAMP® |
| Actuation type | Open Tool Slot Push-in |
| Connectable conductor materials | Copper |
| Nominal cross section | 2.5 mm ² |
| Solid conductor | 0.25 ... 4 mm ² / 22 ... 12 AWG |
| Solid conductor, push-in termination | 0.75 ... 4 mm ² / 18 ... 12 AWG |
| Fine-stranded conductor | 0.25 ... 4 mm ² / 22 ... 12 AWG |
| Fine-stranded conductor with ferrule with plastic collar | 1 ... 2.5 mm ² / 18 ... 12 AWG |
| Fine-stranded conductor with ferrule, push-in termination, from | 1 ... 2.5 mm ² / 18 ... 12 AWG |
| Strip length | 10 ... 12 mm / 0.39 ... 0.47 inch |
| Total number of connection points | 2 |
| Total number of potentials | 1 |
| Number of levels | 2 |
| Type of wiring | Front-entry wiring |
| Note (conductor cross-section) | Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination. |

Geometrical Data

| | |
|---------------------------------------|----------------------|
| Width | 5.2 mm / 0.205 inch |
| Height from upper-edge of DIN-35 rail | 51.3 mm / 2.02 inch |
| Depth | 80.1 mm / 3.154 inch |

Mechanical data

| | |
|-------------------|--------------|
| Design | horizontal |
| Type of mounting | DIN-35 rail |
| Potential marking | L |
| Marking level | Side marking |

Material Data

| | |
|---------------------|----------------------|
| Color | gray |
| Insulating material | Polyamide 66 (PA 66) |
| Fire load | 0.25 MJ |
| Weight | 12.1 g |

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com




Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Commercial data




| | |
|--------------------|-------------------|
| Product Group | 18 (X-COM-System) |
| Packaging type | BOX |
| Country of origin | DE |
| GTIN | 4045454913656 |
| Customs Tariff No. | 85369010000 |

Approvals / Certificates

Country specific Approvals

| Logo | Approval | Additional Approval Text | Certificate name |
|--|--|--------------------------|------------------|
|  | CCA DEKRA Certification B.V. | EN 60947 | NTR NL 7628 |
|  | CSA DEKRA Certification B.V. | C22.2 No. 158 | 2437422 |
|  | KEMA/KEUR DEKRA Certification B.V. | EN 60947, EN 61984 | 71- 101201 |


Ship Approvals

| Logo | Approval | Additional Approval Text | Certificate name |
|---|---|--------------------------|--------------------------|
|  | ABS American Bureau of Shipping | EN 60947 | 20- HG1941090- PDA |
|  | BV Bureau Veritas S.A. | EN 60947 | 38586/A0 BV |
|  | DNV GL Det Norske Veritas, Germanischer Lloyd | - | TAE00001V2 |
| | LR Lloyds Register | EN 60947 | 91/20112 (E9) |

Subject to changes. Please also observe the further product documentation!








UL-Approvals

| Logo | Approval | Additional Approval Text | Certificate name |
|--|--------------------------------------|--------------------------|------------------|
|  | UR Underwriters Laboratories Inc. | UL 1059 | E45172 |

Counterpart

Compatible products










Marking accessories

| | | |
|--|--|--|
|  | Item no.: 2002-121 Adaptor | www.wago.com/2002-121 |
|  | Item no.: 2002-161 Adaptor | www.wago.com/2002-161 |
|  | Item no.: 2009-110 Marking strips; on reel; not stretchable; plain; snap-on type; white | www.wago.com/2009-110 |
|  | Item no.: 2009-115 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-115 |
|  | Item no.: 2009-115/000-002 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow /000-002 | www.wago.com/2009-115 |

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

| | | |
|--|---|--|
| | Item no.: 2009-115/000-006 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-115/000-006 |
|  | Item no.: 2009-115/000-007 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray | www.wago.com/2009-115/000-007 |
|  | Item no.: 2009-115/000-012 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-115/000-012 |
| | Item no.: 2009-115/000-017 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-115/000-017 |
| | Item no.: 2009-115/000-023 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green | www.wago.com/2009-115/000-023 |
| | Item no.: 2009-115/000-024 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-115/000-024 |
| | Item no.: 2009-145 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-145 |
|  | Item no.: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-145/000-002 |
|  | Item no.: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red | www.wago.com/2009-145/000-005 |
|  | Item no.: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue | www.wago.com/2009-145/000-006 |
|  | Item no.: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/2009-145/000-007 |
|  | Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange | www.wago.com/2009-145/000-012 |
|  | Item no.: 2009-145/000-023 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green | www.wago.com/2009-145/000-023 |
|  | Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; | www.wago.com/2009-145/000-024 |

Subject to changes. Please also observe the further product documentation!

violet



Item no.: 2009-191
Group marker carrier

www.wago.com/2009-191

Item no.: 2009-192
Group marker carrier

www.wago.com/2009-192

Item no.: 2009-193
Group marker carrier

www.wago.com/2009-193

Item no.: 2009-198
Adaptor

www.wago.com/2009-198

Item no.: 248-501
Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card

www.wago.com/248-501

Item no.: 248-501/000-002
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow

www.wago.com/248-501/000-002

Item no.: 248-501/000-005
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red

www.wago.com/248-501/000-005

Item no.: 248-501/000-006
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue

www.wago.com/248-501/000-006

Item no.: 248-501/000-007
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray

www.wago.com/248-501/000-007

Item no.: 248-501/000-012
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange

www.wago.com/248-501/000-012

Item no.: 248-501/000-017
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green

www.wago.com/248-501/000-017

Item no.: 248-501/000-023
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green

www.wago.com/248-501/000-023

Item no.: 248-501/000-024
Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet

www.wago.com/248-501/000-024









Item no.: 793-501
WMB marking card; as card; not stretchable; plain; snap-on type; white

www.wago.com/793-501





Item no.: 793-501/000-002
WMB marking card; as card; not stretchable; plain; snap-on type; yellow

www.wago.com/793-501/000-002








Subject to changes. Please also observe the further product documentation!

| | | |
|--|---|--|
| | Item no.: 793-501/000-005 WMB marking card; as card; not stretchable; plain; snap-on type; red | www.wago.com/793-501/000-005 |
|  | Item no.: 793-501/000-006 WMB marking card; as card; not stretchable; plain; snap-on type; blue | www.wago.com/793-501/000-006 |
|  | Item no.: 793-501/000-007 WMB marking card; as card; not stretchable; plain; snap-on type; gray | www.wago.com/793-501/000-007 |
| | Item no.: 793-501/000-012 WMB marking card; as card; not stretchable; plain; snap-on type; orange | www.wago.com/793-501/000-012 |
|  | Item no.: 793-501/000-017 WMB marking card; as card; not stretchable; plain; snap-on type; light green | www.wago.com/793-501/000-017 |
|  | Item no.: 793-501/000-023 WMB marking card; as card; not stretchable; plain; snap-on type; green | www.wago.com/793-501/000-023 |
|  | Item no.: 793-501/000-024 WMB marking card; as card; not stretchable; plain; snap-on type; violet | www.wago.com/793-501/000-024 |
|  | Item no.: 793-5501 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white | www.wago.com/793-5501 |
|  | Item no.: 793-5501/000-002 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow | www.wago.com/793-5501/000-002 |
|  | Item no.: 793-5501/000-005 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red | www.wago.com/793-5501/000-005 |
| | Item no.: 793-5501/000-006 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue | www.wago.com/793-5501/000-006 |
| | Item no.: 793-5501/000-007 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray | www.wago.com/793-5501/000-007 |
| | Item no.: 793-5501/000-012 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange | www.wago.com/793-5501/000-012 |














Subject to changes. Please also observe the further product documentation!

| | | |
|--|--|--|
| | Item no.: 793-5501/000-017 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green | www.wago.com/793-5501/000-017 |
|  | Item no.: 793-5501/000-023 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green | www.wago.com/793-5501/000-023 |
|  | Item no.: 793-5501/000-024 WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet | www.wago.com/793-5501/000-024 |
| Carrier rail | | |
| | Item no.: 210-112 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm | www.wago.com/210-112 |
| | Item no.: 210-113 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715 | www.wago.com/210-113 |
| | Item no.: 210-114 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715 | www.wago.com/210-114 |
|  | Item no.: 210-115 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm | www.wago.com/210-115 |
| | Item no.: 210-118 Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715 | www.wago.com/210-118 |
| | Item no.: 210-196 Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored | www.wago.com/210-196 |
| | Item no.: 210-197 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715 | www.wago.com/210-197 |
|  | Item no.: 210-198 Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored | www.wago.com/210-198 |
| | Item no.: 210-504 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715 | www.wago.com/210-504 |
| | Item no.: 210-505 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715 | www.wago.com/210-505 |
| | Item no.: 210-506 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715 | www.wago.com/210-506 |
| | Item no.: 210-508 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715 | www.wago.com/210-508 |
| End plate | | |

Subject to changes. Please also observe the further product documentation!

| | | |
|--|--|--|
| | Item no.: 2022-2291 End and intermediate plate; 1 mm thick; gray | www.wago.com/2022-2291 |
| | Item no.: 2022-2292 End and intermediate plate; 1 mm thick; orange | www.wago.com/2022-2292 |
| tools | | |
| | Item no.: 210-720 Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft | www.wago.com/210-720 |
| ferrule | | |
|  | Item no.: 216-241 Ferrule; Sleeve for 0.5 mm ² / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white | www.wago.com/216-241 |
|  | Item no.: 216-242 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray | www.wago.com/216-242 |
|  | Item no.: 216-243 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red | www.wago.com/216-243 |
|  | Item no.: 216-244 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black | www.wago.com/216-244 |
| | Item no.: 216-246 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue | www.wago.com/216-246 |
| | Item no.: 216-262 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray | www.wago.com/216-262 |
|  | Item no.: 216-263 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red | www.wago.com/216-263 |
|  | Item no.: 216-264 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black | www.wago.com/216-264 |
| | Item no.: 216-266 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue | www.wago.com/216-266 |
| | Item no.: 216-284 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black | www.wago.com/216-284 |
| | Item no.: 216-286 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue | www.wago.com/216-286 |
| General accessories | | |
|  | Item no.: 2022-161 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-161 |

Subject to changes. Please also observe the further product documentation!

| | | |
|--|---|--|
|  | Item no.: 2022-162 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange | www.wago.com/2022-162 |
| | Item no.: 2022-164 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-164 |
|  | Item no.: 2022-167 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-167 |
|  | Item no.: 2022-171 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-171 |
|  | Item no.: 2022-172 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange | www.wago.com/2022-172 |
|  | Item no.: 2022-174 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-174 |
|  | Item no.: 2022-177 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-177 |
|  | Item no.: 2022-181 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-181 |
| | Item no.: 2022-182 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange | www.wago.com/2022-182 |
|  | Item no.: 2022-184 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-184 |
|  | Item no.: 2022-187 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-187 |
| Push-In type wire jumper | | |
| | Item no.: 2009-412 Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black | www.wago.com/2009-412 |
|  | Item no.: 2009-414 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black | www.wago.com/2009-414 |
|  | Item no.: 2009-416 Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black | www.wago.com/2009-416 |
| Test Accessories | | |
|  | Item no.: 2009-174 Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray | www.wago.com/2009-174 |
|  | Item no.: 2009-182 Testing tap; for max. 2.5 mm ² ; tool-free connection for individual test wires 0.08 - 2.5 mm; gray | www.wago.com/2009-182 |
| Coding | | |












Subject to changes. Please also observe the further product documentation!















Item no.: 2022-100
Carrier with 6 coding pins; for coding of female plugs; orange

www.wago.com/2022-100













Jumper

| | | |
|--|---|--|
| | Item no.: 2002-400 Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A; light gray | www.wago.com/2002-400 |
|  | Item no.: 2002-402 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; light gray | www.wago.com/2002-402 |
|  | Item no.: 2002-402/000-005 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; red | www.wago.com/2002-402/000-005 |
|  | Item no.: 2002-402/000-006 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; blue | www.wago.com/2002-402/000-006 |
| | Item no.: 2002-403 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; light gray | www.wago.com/2002-403 |
|  | Item no.: 2002-403/000-005 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; red | www.wago.com/2002-403/000-005 |
|  | Item no.: 2002-403/000-006 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; blue | www.wago.com/2002-403/000-006 |
|  | Item no.: 2002-404 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; light gray | www.wago.com/2002-404 |
| | Item no.: 2002-404/000-005 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; red | www.wago.com/2002-404/000-005 |
|  | Item no.: 2002-404/000-006 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; blue | www.wago.com/2002-404/000-006 |
|  | Item no.: 2002-405 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; light gray | www.wago.com/2002-405 |
|  | Item no.: 2002-405/000-005 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; red | www.wago.com/2002-405/000-005 |
|  | Item no.: 2002-405/000-006 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; blue | www.wago.com/2002-405/000-006 |
|  | Item no.: 2002-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray | www.wago.com/2002-405/011-000 |

Subject to changes. Please also observe the further product documentation!

| | | |
|--|---|--|
| | Item no.: 2002-406 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; light gray | www.wago.com/2002-406 |
|  | Item no.: 2002-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; red | www.wago.com/2002-406/000-005 |
|  | Item no.: 2002-406/000-006 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; blue | www.wago.com/2002-406/000-006 |
|  | Item no.: 2002-406/020-000 Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray | www.wago.com/2002-406/020-000 |
|  | Item no.: 2002-407 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; light gray | www.wago.com/2002-407 |
|  | Item no.: 2002-407/000-005 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; red | www.wago.com/2002-407/000-005 |
|  | Item no.: 2002-407/000-006 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; blue | www.wago.com/2002-407/000-006 |
|  | Item no.: 2002-408 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; light gray | www.wago.com/2002-408 |
|  | Item no.: 2002-408/000-005 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; red | www.wago.com/2002-408/000-005 |
|  | Item no.: 2002-408/000-006 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; blue | www.wago.com/2002-408/000-006 |
| | Item no.: 2002-409 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; light gray | www.wago.com/2002-409 |
|  | Item no.: 2002-409/000-005 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; red | www.wago.com/2002-409/000-005 |
|  | Item no.: 2002-409/000-006 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; blue | www.wago.com/2002-409/000-006 |
|  | Item no.: 2002-410 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; light gray | www.wago.com/2002-410 |

Subject to changes. Please also observe the further product documentation!

| | | |
|--|--|--|
|  | <p>Item no.: 2002-410/000-005 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; red</p> | www.wago.com/2002-410/000-005 |
|  | <p>Item no.: 2002-410/000-006 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; blue</p> | www.wago.com/2002-410/000-006 |
| | <p>Item no.: 2002-423 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; light gray</p> | www.wago.com/2002-423 |
|  | <p>Item no.: 2002-423/000-005 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; red</p> | www.wago.com/2002-423/000-005 |
|  | <p>Item no.: 2002-423/000-006 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; blue</p> | www.wago.com/2002-423/000-006 |
|  | <p>Item no.: 2002-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A; light gray</p> | www.wago.com/2002-433 |
|  | <p>Item no.: 2002-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A; light gray</p> | www.wago.com/2002-434 |
|  | <p>Item no.: 2002-435 Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A; light gray</p> | www.wago.com/2002-435 |
|  | <p>Item no.: 2002-436 Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A; light gray</p> | www.wago.com/2002-436 |
|  | <p>Item no.: 2002-437 Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A; light gray</p> | www.wago.com/2002-437 |
| | <p>Item no.: 2002-438 Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A; light gray</p> | www.wago.com/2002-438 |
| | <p>Item no.: 2002-439 Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A; light gray</p> | www.wago.com/2002-439 |
|  | <p>Item no.: 2002-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A; light gray</p> | www.wago.com/2002-440 |
|  | <p>Item no.: 2002-472 Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray</p> | www.wago.com/2002-472 |
|  | <p>Item no.: 2002-473 Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray</p> | www.wago.com/2002-473 |
| | <p>Item no.: 2002-473/011-000 Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray</p> | www.wago.com/2002-473/011-000 |

Subject to changes. Please also observe the further product documentation!

| | | |
|--|---|--|
|  | Item no.: 2002-474 Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-474 |
|  | Item no.: 2002-475 Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-475 |
| | Item no.: 2002-475/011-000 Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray | www.wago.com/2002-475/011-000 |
| | Item no.: 2002-476 Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-476 |
|  | Item no.: 2002-477 Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-477 |
|  | Item no.: 2002-477/011-000 Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray | www.wago.com/2002-477/011-000 |
|  | Item no.: 2002-478 Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-478 |
|  | Item no.: 2002-479 Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-479 |
| | Item no.: 2002-479/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray | www.wago.com/2002-479/011-000 |
|  | Item no.: 2002-480 Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-480 |
|  | Item no.: 2002-481 Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-481 |
| | Item no.: 2002-481/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray | www.wago.com/2002-481/011-000 |
|  | Item no.: 2002-482 Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray | www.wago.com/2002-482 |
|  | Item no.: 2002-492 Double-deck vertical jumper; insulated; light gray | www.wago.com/2002-492 |
|  | Item no.: 2002-492/000-012 Double-deck vertical jumper; insulated; orange | www.wago.com/2002-492/000-012 |


Subject to changes. Please also observe the further product documentation!



Item no.: 210-103

Wire commoning chain; insulated; 50 connections; black

www.wago.com/210-103



Item no.: 210-123

Wire commoning chain; insulated; 50 connections

www.wago.com/210-123

Protective Warning Marker

Item no.: 2002-115

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

www.wago.com/2002-115

Insulation stop

Item no.: 2002-171

Insulation stop; 0.25 - 0.5 mm²; 5 pieces/strip; light gray

www.wago.com/2002-171



Item no.: 2002-172

Insulation stop; 0.75 - 1 mm²; 5 pieces/strip; dark gray

www.wago.com/2002-172

Female plug



Item no.: 2022-101

1-conductor female plug; 2.5 mm²; 1-pole; 2,50 mm²; gray

www.wago.com/2022-101



Item no.: 2022-101/000-006

1-conductor female plug; 1-pole; 2,50 mm²; blue

www.wago.com/2022-101/000-006

Item no.: 2022-101/000-012

1-conductor female plug; 1-pole; 2,50 mm²; orange

www.wago.com/2022-101/000-012



Item no.: 2022-101/000-016

1-conductor female plug; 1-pole; 2,50 mm²; green-yellow

www.wago.com/2022-101/000-016

Item no.: 2022-101/122-000

1-conductor female plug; 1-pole; 2,50 mm²; gray

www.wago.com/2022-101/122-000

Item no.: 2022-101/122-006

1-conductor female plug; 1-pole; 2,50 mm²; blue

www.wago.com/2022-101/122-006

Item no.: 2022-101/122-016

1-conductor female plug; 1-pole; 2,50 mm²; green-yellow

www.wago.com/2022-101/122-016

Item no.: 2022-101/132-000

1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; gray

www.wago.com/2022-101/132-000

Item no.: 2022-101/132-006

1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; blue

www.wago.com/2022-101/132-006

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27








32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

| | | |
|--|--|--|
| | Item no.: 2022-101/132-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-101/132-016 |
| | Item no.: 2022-101/142-000 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; gray | www.wago.com/2022-101/142-000 |
| | Item no.: 2022-101/142-006 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; blue | www.wago.com/2022-101/142-006 |
| | Item no.: 2022-101/142-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-101/142-016 |
|  | Item no.: 2022-102 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray | www.wago.com/2022-102 |
|  | Item no.: 2022-102/000-006 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; blue | www.wago.com/2022-102/000-006 |
|  | Item no.: 2022-102/000-016 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-102/000-016 |
| | Item no.: 2022-102/122-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray | www.wago.com/2022-102/122-000 |
| | Item no.: 2022-102/132-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray | www.wago.com/2022-102/132-000 |
| | Item no.: 2022-102/142-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray | www.wago.com/2022-102/142-000 |
|  | Item no.: 2022-103 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray | www.wago.com/2022-103 |
|  | Item no.: 2022-103/000-006 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; blue | www.wago.com/2022-103/000-006 |
|  | Item no.: 2022-103/000-016 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-103/000-016 |
|  | Item no.: 2022-103/000-036 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray, green-yellow | www.wago.com/2022-103/000-036 |

Subject to changes. Please also observe the further product documentation!



Item no.: 2022-103/000-037
1-conductor female plug; 2.5 mm²; 3-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-103/000-037

Item no.: 2022-103/000-038
1-conductor female plug; 2.5 mm²; 3-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-103/000-038



Item no.: 2022-103/000-039
1-conductor female plug; 2.5 mm²; 3-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-103/000-039

Item no.: 2022-103/123-000
1-conductor female plug; Locking lever; 2.5 mm²; 3-pole; 2,50 mm²; gray

www.wago.com/2022-103/123-000

Item no.: 2022-103/133-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 3-pole; 2,50 mm²; gray

www.wago.com/2022-103/133-000

Item no.: 2022-103/143-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 3-pole; 2,50 mm²; gray

www.wago.com/2022-103/143-000



Item no.: 2022-104
1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; gray

www.wago.com/2022-104



Item no.: 2022-104/000-006
1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; blue

www.wago.com/2022-104/000-006

Item no.: 2022-104/000-016
1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; green-yellow

www.wago.com/2022-104/000-016



Item no.: 2022-104/000-036
1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-104/000-036

Item no.: 2022-104/000-037
1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-104/000-037



Item no.: 2022-104/000-038
1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-104/000-038














Item no.: 2022-104/000-039
1-conductor female plug; 2.5 mm²; 4-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-104/000-039











Item no.: 2022-104/123-000
1-conductor female plug; Locking lever; 2.5 mm²; 4-pole; 2,50 mm²; gray

www.wago.com/2022-104/123-000

Subject to changes. Please also observe the further product documentation!

| | | |
|--|--|--|
| | Item no.: 2022-104/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray | www.wago.com/2022-104/133-000 |
| | Item no.: 2022-104/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray | www.wago.com/2022-104/143-000 |
|  | Item no.: 2022-105 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray | www.wago.com/2022-105 |
|  | Item no.: 2022-105/000-006 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; blue | www.wago.com/2022-105/000-006 |
|  | Item no.: 2022-105/000-016 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-105/000-016 |
|  | Item no.: 2022-105/000-036 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray, green-yellow | www.wago.com/2022-105/000-036 |
|  | Item no.: 2022-105/000-037 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow, gray | www.wago.com/2022-105/000-037 |
|  | Item no.: 2022-105/000-038 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray, blue, green-yellow | www.wago.com/2022-105/000-038 |
| | Item no.: 2022-105/000-039 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow, blue, gray | www.wago.com/2022-105/000-039 |
|  | Item no.: 2022-105/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray | www.wago.com/2022-105/123-000 |
|  | Item no.: 2022-105/134-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray | www.wago.com/2022-105/134-000 |
|  | Item no.: 2022-105/144-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray | www.wago.com/2022-105/144-000 |
|  | Item no.: 2022-106 1-conductor female plug; 2.5 mm ² ; 6-pole; 2,50 mm ² ; gray | www.wago.com/2022-106 |
|  | Item no.: 2022-106/000-006 1-conductor female plug; 2.5 mm ² ; 6-pole; 2,50 mm ² ; blue | www.wago.com/2022-106/000-006 |

Subject to changes. Please also observe the further product documentation!

| | | |
|--|--|--|
|  | <p>Item no.: 2022-106/000-016 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow</p> | www.wago.com/2022-106/000-016 |
|  | <p>Item no.: 2022-106/000-036 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, green-yellow</p> | www.wago.com/2022-106/000-036 |
|  | <p>Item no.: 2022-106/000-037 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, gray</p> | www.wago.com/2022-106/000-037 |
|  | <p>Item no.: 2022-106/000-038 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, blue, green-yellow</p> | www.wago.com/2022-106/000-038 |
|  | <p>Item no.: 2022-106/000-039 1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, blue, gray</p> | www.wago.com/2022-106/000-039 |
| | <p>Item no.: 2022-106/123-000 1-conductor female plug; Locking lever; 2.5 mm²; 6-pole; 2,50 mm²; gray</p> | www.wago.com/2022-106/123-000 |
| | <p>Item no.: 2022-106/134-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; gray</p> | www.wago.com/2022-106/134-000 |
| | <p>Item no.: 2022-106/144-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; gray</p> | www.wago.com/2022-106/144-000 |
|  | <p>Item no.: 2022-107 1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray</p> | www.wago.com/2022-107 |
|  | <p>Item no.: 2022-107/000-006 1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; blue</p> | www.wago.com/2022-107/000-006 |
|  | <p>Item no.: 2022-107/000-016 1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow</p> | www.wago.com/2022-107/000-016 |
|  | <p>Item no.: 2022-107/000-036 1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, green-yellow</p> | www.wago.com/2022-107/000-036 |
|  | <p>Item no.: 2022-107/000-037 1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, gray</p> | www.wago.com/2022-107/000-037 |

Subject to changes. Please also observe the further product documentation!



Item no.: 2022-107/000-038

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-107/000-038



Item no.: 2022-107/000-039

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-107/000-039

Item no.: 2022-107/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 7-pole; 2,50 mm²; gray

www.wago.com/2022-107/123-000

Item no.: 2022-107/135-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; gray

www.wago.com/2022-107/135-000

Item no.: 2022-107/145-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; gray

www.wago.com/2022-107/145-000



Item no.: 2022-108

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray

www.wago.com/2022-108



Item no.: 2022-108/000-006

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; blue

www.wago.com/2022-108/000-006



Item no.: 2022-108/000-016

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow

www.wago.com/2022-108/000-016



Item no.: 2022-108/000-036

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-108/000-036



Item no.: 2022-108/000-037

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-108/000-037



Item no.: 2022-108/000-038

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-108/000-038



Item no.: 2022-108/000-039

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-108/000-039

Item no.: 2022-108/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 8-pole; 2,50 mm²; gray

www.wago.com/2022-108/123-000

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27










32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169











Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

| | | |
|--|--|---|
| | <p>Item no.: 2022-108/135-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 8-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-108/135-000</p> |
| | <p>Item no.: 2022-108/145-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 8-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-108/145-000</p> |
|  | <p>Item no.: 2022-109 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-109</p> |
|  | <p>Item no.: 2022-109/000-006 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; blue</p> | <p>www.wago.com/2022-109/000-006</p> |
|  | <p>Item no.: 2022-109/000-016 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; green-yellow</p> | <p>www.wago.com/2022-109/000-016</p> |
|  | <p>Item no.: 2022-109/000-036 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; gray, green-yellow</p> | <p>www.wago.com/2022-109/000-036</p> |
|  | <p>Item no.: 2022-109/000-037 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; green-yellow, gray</p> | <p>www.wago.com/2022-109/000-037</p> |
|  | <p>Item no.: 2022-109/000-038 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; gray, blue, green-yellow</p> | <p>www.wago.com/2022-109/000-038</p> |
|  | <p>Item no.: 2022-109/000-039 1-conductor female plug; 2.5 mm²; 9-pole; 2,50 mm²; green-yellow, blue, gray</p> | <p>www.wago.com/2022-109/000-039</p> |
| | <p>Item no.: 2022-109/123-000 1-conductor female plug; Locking lever; 2.5 mm²; 9-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-109/123-000</p> |
| | <p>Item no.: 2022-109/135-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 9-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-109/135-000</p> |
| | <p>Item no.: 2022-109/145-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 9-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-109/145-000</p> |
|  | <p>Item no.: 2022-110 1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; gray</p> | <p>www.wago.com/2022-110</p> |
|  | <p>Item no.: 2022-110/000-006 1-conductor female plug; 2.5 mm²; 10-pole; 2,50 mm²; blue</p> | <p>www.wago.com/2022-110/000-006</p> |

Subject to changes. Please also observe the further product documentation!

| | | |
|--|---|--|
|  | Item no.: 2022-110/000-016 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-110/000-016 |
|  | Item no.: 2022-110/000-036 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray, green-yellow | www.wago.com/2022-110/000-036 |
|  | Item no.: 2022-110/000-037 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow, gray | www.wago.com/2022-110/000-037 |
|  | Item no.: 2022-110/000-038 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray, blue, green-yellow | www.wago.com/2022-110/000-038 |
|  | Item no.: 2022-110/000-039 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow, blue, gray | www.wago.com/2022-110/000-039 |
| | Item no.: 2022-110/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray | www.wago.com/2022-110/123-000 |
| | Item no.: 2022-110/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray | www.wago.com/2022-110/135-000 |
| | Item no.: 2022-110/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray | www.wago.com/2022-110/145-000 |
|  | Item no.: 2022-111 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray | www.wago.com/2022-111 |
|  | Item no.: 2022-111/000-006 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; blue | www.wago.com/2022-111/000-006 |
|  | Item no.: 2022-111/000-016 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-111/000-016 |
|  | Item no.: 2022-111/000-036 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray, green-yellow | www.wago.com/2022-111/000-036 |
|  | Item no.: 2022-111/000-037 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow, gray | www.wago.com/2022-111/000-037 |

Subject to changes. Please also observe the further product documentation!



Item no.: 2022-111/000-038

1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-111/000-038



Item no.: 2022-111/000-039

1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-111/000-039

Item no.: 2022-111/126-000

1-conductor female plug; Locking lever; 2.5 mm²; 11-pole; 2,50 mm²; gray

www.wago.com/2022-111/126-000

Item no.: 2022-111/136-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole; 2,50 mm²; gray

www.wago.com/2022-111/136-000

Item no.: 2022-111/146-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole; 2,50 mm²; gray

www.wago.com/2022-111/146-000



Item no.: 2022-112

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray

www.wago.com/2022-112



Item no.: 2022-112/000-006

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; blue

www.wago.com/2022-112/000-006



Item no.: 2022-112/000-016

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow

www.wago.com/2022-112/000-016



Item no.: 2022-112/000-036

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-112/000-036



Item no.: 2022-112/000-037

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-112/000-037



Item no.: 2022-112/000-038

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-112/000-038



Item no.: 2022-112/000-039

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-112/000-039

Item no.: 2022-112/126-000

1-conductor female plug; Locking lever; 2.5 mm²; 12-pole; 2,50 mm²; gray

www.wago.com/2022-112/126-000

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27










32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169











Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

| | | |
|--|---|--|
| | Item no.: 2022-112/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray | www.wago.com/2022-112/136-000 |
| | Item no.: 2022-112/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray | www.wago.com/2022-112/146-000 |
|  | Item no.: 2022-113 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray | www.wago.com/2022-113 |
|  | Item no.: 2022-113/000-006 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; blue | www.wago.com/2022-113/000-006 |
|  | Item no.: 2022-113/000-016 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; green-yellow | www.wago.com/2022-113/000-016 |
|  | Item no.: 2022-113/000-036 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray, green-yellow | www.wago.com/2022-113/000-036 |
|  | Item no.: 2022-113/000-037 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; green-yellow, gray | www.wago.com/2022-113/000-037 |
|  | Item no.: 2022-113/000-038 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray, blue, green-yellow | www.wago.com/2022-113/000-038 |
|  | Item no.: 2022-113/000-039 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; green-yellow, blue, gray | www.wago.com/2022-113/000-039 |
| | Item no.: 2022-113/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray | www.wago.com/2022-113/126-000 |
| | Item no.: 2022-113/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray | www.wago.com/2022-113/136-000 |
| | Item no.: 2022-113/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray | www.wago.com/2022-113/146-000 |
|  | Item no.: 2022-114 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray | www.wago.com/2022-114 |
|  | Item no.: 2022-114/000-006 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; blue | www.wago.com/2022-114/000-006 |

Subject to changes. Please also observe the further product documentation!

| | | |
|--|---|--|
|  | <p>Item no.: 2022-114/000-016 1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow</p> | www.wago.com/2022-114/000-016 |
|  | <p>Item no.: 2022-114/000-036 1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, green-yellow</p> | www.wago.com/2022-114/000-036 |
|  | <p>Item no.: 2022-114/000-037 1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, gray</p> | www.wago.com/2022-114/000-037 |
|  | <p>Item no.: 2022-114/000-038 1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, blue, green-yellow</p> | www.wago.com/2022-114/000-038 |
|  | <p>Item no.: 2022-114/000-039 1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, blue, gray</p> | www.wago.com/2022-114/000-039 |
| | <p>Item no.: 2022-114/126-000 1-conductor female plug; Locking lever; 2.5 mm²; 14-pole; 2,50 mm²; gray</p> | www.wago.com/2022-114/126-000 |
| | <p>Item no.: 2022-114/136-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 14-pole; 2,50 mm²; gray</p> | www.wago.com/2022-114/136-000 |
| | <p>Item no.: 2022-114/146-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 14-pole; 2,50 mm²; gray</p> | www.wago.com/2022-114/146-000 |
|  | <p>Item no.: 2022-115 1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray</p> | www.wago.com/2022-115 |
|  | <p>Item no.: 2022-115/000-006 1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; blue</p> | www.wago.com/2022-115/000-006 |
|  | <p>Item no.: 2022-115/000-016 1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellow</p> | www.wago.com/2022-115/000-016 |
|  | <p>Item no.: 2022-115/000-036 1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray, green-yellow</p> | www.wago.com/2022-115/000-036 |
|  | <p>Item no.: 2022-115/000-037 1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellow, gray</p> | www.wago.com/2022-115/000-037 |

Subject to changes. Please also observe the further product documentation!



Item no.: 2022-115/000-038
1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-115/000-038



Item no.: 2022-115/000-039
1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-115/000-039

Item no.: 2022-115/127-000
1-conductor female plug; Locking lever; 2.5 mm²; 15-pole; 2,50 mm²; gray

www.wago.com/2022-115/127-000

Item no.: 2022-115/137-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 15-pole; 2,50 mm²; gray

www.wago.com/2022-115/137-000

Item no.: 2022-115/147-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 15-pole; 2,50 mm²; gray

www.wago.com/2022-115/147-000

Downloads

Documentation

Additional Information

| | | | |
|------------------------|-------------|---------------|----------|
| Technical explanations | Apr 3, 2019 | pdf 2.1 MB | Download |
|------------------------|-------------|---------------|----------|

CAD/CAE-Data

CAD data

| | | |
|------------------------|-----|----------|
| 2D/3D Models 2022-2208 | URL | Download |
|------------------------|-----|----------|

CAE data

| | | |
|-----------------------------|-----|----------|
| EPLAN Data Portal 2022-2208 | URL | Download |
|-----------------------------|-----|----------|

| | | |
|--------------------------|-----|----------|
| WSCAD Universe 2022-2208 | URL | Download |
|--------------------------|-----|----------|


Installation Notes

Coding

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com


Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.




Insert coding pin into the corresponding slot and twist it off.



Coding a female plug: remove coding finger using a suitable tool.



Insert coded female connector into X-COM®S-SYSTEM terminal block assembly.




1-conductor female plug


Double-deck carrier terminal blocks can be commoned via 2002 Series Push-In Type Jumper Bars and tested via 859-500 Test Pin.

Marking


Subject to changes. Please also observe the further product documentation!



Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)



Marker carrier (2009-198)

Product family

X-COM S

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!