
Data sheet | Item number: 206-808

Replacement test probes; 4 mm (2 pcs)

www.wago.com/206-808







Item description

Note:

Profi-LCD+ and Profi-LED+:

- Improved socket contact via 4 mm Ø test probes
- Removable test probes for small test ports (suitable for all WAGO terminal blocks)

Data

Technical Data

Main product function Testing accessories

Material Data

matorial Batt

Weight 3 g

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 206-808

www.wago.com/206-808



Commercial data

Product Group	14 (Tools)
Packaging type	BOX
Country of origin	CN
GTIN	4050821201267
Customs Tariff No.	90309000000

Counterpart

Installation Notes

 $\label{lem:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$


WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 206-808

www.wago.com/206-808





Additional Profi LED+ features:

- Automatic measurement range selection
- Single-pole phase testing (AC >100 V)
- Two-pole sequence testing (R and L)
- Continuity testing
- _
- FI/RCD testing (30 mA) via buttons
- One-hand operation for SCHUKO and CEE sockets
- LED torch lamp function
- CAT IV 1000 V
- TÜV/GS tested and approved
- IEC/EN 61243-3 (DIN VDE 0682-401)

Subject to changes. Please also observe the further product documentation!